

REPORT

April 2026 Ambient Air Monitoring Report

Rain Carbon Canada Inc.

Submitted by:

Rain Carbon Canada Inc.

725 Strathearne Avenue North
Hamilton, Ontario
L8H 5L3

May 2026

Distribution List

Electronic copy - Ontario Ministry of the Environment, Conservation and Parks

Electronic copy – Rain Carbon Canada Inc.

Electronic copy - WSP

Table of Contents

1.0 INTRODUCTION	5
2.0 AMBIENT MONITORING STATIONS	6
3.0 SUMMARY OF MONITORING EQUIPMENT CONDITIONS	5
4.0 SUMMARY OF BENZENE MEASUREMENTS	7
5.0 SUMMARY OF B(A)P MEASUREMENTS	8
6.0 CONCLUSIONS	9

TABLES

Table 1: Rain Carbon Ambient Air Quality Monitoring Stations.....	6
Table 2: Summa Canister Pressures on Receipt	6
Table 3: PUF Filter Total Volumes	6
Table 4: Summary of April 2026 Benzene Measurements.....	7
Table 5: Summary of April 2026 B(a)P Measurements.....	9

FIGURES

Figure 1: Monitor and Source Locations.....	7
Figure 2: Monitor Location on the South Side of the Facility.....	7
Figure 3: Monitor Locations on the West Side of the Facility	8
Figure 4: Monitor Locations on the North Side and East Side of the Facility.....	8

APPENDICES

APPENDIX A

Monitoring Plan

APPENDIX B

Laboratory Analysis

APPENDIX C

Chain of Custody Forms

APPENDIX D

Certificates of Analysis

APPENDIX E

Field Notes

1.0 INTRODUCTION

Rain Carbon Canada Inc. (Rain Carbon) is required to prepare monthly written summary reports of benzo(a)pyrene [B(a)P] and benzene ambient monitoring measurements for the coal tar and petroleum material processing plant located at 725 Strathearne Avenue N., Hamilton, Ontario (the Facility). This is the ninetieth monthly report submitted as part of the Rain Carbon ambient monitoring program and summarizes the measurements taken in April 2026.

The ambient air monitoring measurements for April 2026 follows the December 12, 2019, Monitoring Plan for B(a)P and Benzene (the Plan) approved by the Ontario Ministry of the Environment, Conservation and Parks (MECP) on December 20, 2019. A copy of the Plan has been provided in Appendix A.

Rain Carbon operates the fence line monitors for benzene and B(a)P at the East, North, South, New West, and Old West environmental monitoring stations. Rain Carbon also conducts monitoring for benzene and B(a)P monitoring off site at the HAMN station 29164.

This report includes the following information for measurements taken in April 2026:

- Identification of each location at which a measurement was taken.
 - For each location, the concentration of each measurement taken.
 - The date and time each measurement was taken.
-

2.0 AMBIENT MONITORING STATIONS

The monitoring program consists of setting up two types of sampling systems at five locations at the Facility. The two sampling systems included the polyurethane foam (PUF) polyaromatic hydrocarbon (PAH) sampling system for B(a)P and the SUMMA volatile organic carbon (VOC) canister sampling system for benzene. Samples were collected over a 24-hour period. The monitoring stations are listed below, and their locations are shown in Figure 1.

Table 1: Rain Carbon Ambient Air Quality Monitoring Stations

Station Location	Height Above Grade (m)
North - Tank 91	4.1
East - South of Tank-36	3.4
South - Berm	3.2
New West – West Fence line at Railcar Track 2 Spot 10.	4.0
Old West - Tank-77 Platform	13.0
Hamilton Area Monitoring Network (HAMN) Station 29164	4.0

The South berm monitor is placed just over two metres above grade by the berm located on the south side of the Facility as shown in Figure 2. The Old West monitor at Tank 77 is placed on the upper platform located on the west side of the Facility as shown in Figure 3. The platform is approximately 13 metres above grade. As shown in Figure 4, the North monitor is located at the north fence line, north of Tank 91, and placed 4.1 metres above grade and at least 2 metres away from any structure. The East monitor is at the east fence line, south of Tank 36, with an inlet height of 3.4 metres above grade. The New West monitor is located at the west fence line on a new dedicated stand-alone platform at approximately 4 metres above grade.

Air quality data acquisition and instrument performance were conducted by Rain Carbon Canada Inc. personnel, and the laboratory analysis was conducted by Bureau Veritas Laboratories, which is ISO1702 compliant and accredited. The following supporting documents are provided:

- Laboratory Analysis in Appendix B;
- Chain of custody forms in Appendix C;
- Laboratory Certificates of Analysis in Appendix D; and
- Field notes in Appendix E.



Figure 1: Monitor and Source Locations



Figure 2: Monitor Location on the South Side of the Facility




Figure 3: Monitor Locations on the West Side of the Facility



Figure 4: Monitor Locations on the North Side and East Side of the Facility

3.0 SUMMARY OF MONITORING EQUIPMENT CONDITIONS

The laboratory Certificate of Analysis for each monitoring event includes information on the volume of the sample collected for the PUF (B(a)P) monitoring system, and the residual vacuum pressures for the SUMMA canisters (benzene) monitoring equipment. For the PUF system, the MECP has flow requirements of 8 CFM +/- 10% which is equivalent to total volumes between 293.6 m³ and 358.8 m³ over 24 hours. The summa canister pressures on receipt and PUF filter total volumes are presented below in Tables 2 and 3.

For the April 2026 B(a)P monitoring results, all the recorded PUF volumes were inside the MECP specified range of between 293.6 m³ and 358.8 m³ over 24 hours.

For the April 2026 benzene monitoring results, all the summa canister pressures on receipt were within the MECP acceptable pressure of receipt range of between -1.6 to -13.4 inches Hg except for:

1. The **Thursday April 2, 2026, MECP monitoring day where the east summa canister had a retrieval pressure of - 30 inches Hg** likely due to the internal valve in the VOC sampler timer failing to open; however, we successfully operated the east VOC monitor again on the **Tuesday April 7, 2026, East Monitor Additional Monitoring Day**.
2. The **Sunday April 26, 2026, MECP Monitoring Day** where the summa canister pressure on receipt was - 15.07 inches Hg due to the VOC sampler timer airflow setting needing adjustment. The south VOC monitor sampler timer airflow setting was adjusted by Rotek Inc. on Wednesday May 13, 2026, and south VOC monitor was operated again successfully on the **Thursday May 14, 2026, South Monitor Additional Monitoring Day**.

Table 2: Summa Canister Pressures on Receipt (inches Hg)

Monitoring Event Date	Benzene SUMMA Canister Pressure on Receipt (inches Hg)					New West	HAMN STN 29164
	East	North	Old West	South			
April 2	-	-7.74	-5.70	-10.59*	-6.31	-3.46	
April 7 East Monitor Additional Monitoring Day	-2.44*	-	-	-	-	-	
April 14	-4.68*	-9.77	-7.94	-13.03*	-7.94	-5.90	
April 26	-3.26	-8.75	-6.11	-15.07**	-6.31	-8.14	

*Sample is acceptable as within the MECP acceptable pressure of receipt of between -1.6 to -13.4 inches Hg but outside the MECP recommended pressure on receipt range of - 5 to -10 inches Hg.

**Sample invalid as the pressure of the receipt is outside the MECP acceptable pressure of receipt range of between -1.6 to -13.4 inches Hg

Table 3: PUF Filter Total Volumes

Monitoring Event Date	+B(a)P PUF Total Volume [m ³]					HAMN STN 29164
	East	North	Old West	South	New West	
April 2	328.9	334.4	343.0	313.9	319.7	320.9
April 8	314.2	330.3	305.4	310.5	316.5	314.9
April 14	309.7	305.9	307.7	304.8	304.0	309.2
April 20	297.9	314.4	303.8	301.5	316.6	316.2
April 26	314.9	314.2	301.6	298.7	301.2	310.2

4.0 SUMMARY OF BENZENE MEASUREMENTS

Table 4: Summary of April 2026 Benzene Measurements

Monitoring Event Date	Measured Concentration [$\mu\text{g}/\text{m}^3$]					HAMN STN 29164
	East	North	Old West	South	New West	
April 2	-	<0.319	7.61	119*	1.07	<0.319
April 7 East Monitor Additional Monitoring Day	62.4*	-	-	-	-	-
April 14	12.7*	1.78	6.99	22.0*	1.48	0.779
April 26	0.535	<0.319	27.1	Invalid sample**	3.42	0.390

*Sample is acceptable as within the MECP acceptable pressure of receipt of between -1.6 to -13.4 inches Hg but outside the MECP recommended pressure on receipt range of - 5 to -10 inches Hg.

**Sample invalid as the pressure of the receipt is outside the MECP acceptable pressure of receipt range of between -1.6 to -13.4 inches Hg

Three sets of benzene measurements at each monitor were taken in April 2026. The measurements range from <0.319 $\mu\text{g}/\text{m}^3$ to **119 $\mu\text{g}/\text{m}^3$ benzene**, with the highest value being detected at the south monitor during the **Thursday April 2, 2026, MECP monitoring event**.

All the benzene concentrations measured during the April 2026 MECP monitoring events were below the 24-hour Upper Risk Threshold (URT) of 100 $\mu\text{g}/\text{m}^3$ benzene except for the concentration of **119 $\mu\text{g}/\text{m}^3$ benzene** measured at the south monitor on the **Thursday April 2, 2026, MECP monitoring event** above the 24-hr Upper Risk Threshold (URT) of 100 $\mu\text{g}/\text{m}^3$ benzene and which required a Section 30 Notification to the MECP.

5.0 SUMMARY OF B(a)P MEASUREMENTS.

Table 5: Summary of April 2026 B(a)P Measurements.

Monitoring Event Date	Measured Concentration [$\mu\text{g}/\text{m}^3$]					HAMN STN 29164
	East	North	Old West	South	New West	
April 2	0.00080	<0.00030	0.00234	<0.00032	0.00137	<0.00031
April 8	0.00334	0.00052	0.00200	0.00084	0.00395	<0.00032
April 14	0.00101	<0.00033	0.00071	<0.00033	0.00045	<0.00032
April 20	0.00155	0.00072	<0.00033	<0.00033	<0.00032	<0.00032
April 26	0.00057	<0.00032	0.00243	0.00043	0.00649*	<0.00032

*Above the 0.00430 $\mu\text{g}/\text{m}^3$ B(a)P Measured Level Threshold (MLT) and the 0.0050 $\mu\text{g}/\text{m}^3$ B(a)P 24-hr Upper Risk Threshold (URT).

Five sets of B(a)P measurements were taken in April 2026. The B(a)P measurements ranged from < 0.00030 $\mu\text{g}/\text{m}^3$ to **0.00649 $\mu\text{g}/\text{m}^3$** B(a)P, with the highest value being detected at the new west monitor during the Sunday April 26, 2026, monitoring event. All the B(a)P measurements are summarized in Table 5 above, and copies of the laboratory analysis reports are provided in Appendix B.

The concentration of **0.00649 $\mu\text{g}/\text{m}^3$ B(a)P** measured at the new west monitor on the **Sunday April 26, 2026, MECP monitoring event** was above the 0.00430 $\mu\text{g}/\text{m}^3$ B(a)P Measured Level Threshold (MLT) which triggered the preparation of the April 2026 AML report.

This measurement was also above the 24-hr Upper Risk Threshold (URT) of 0.0050 $\mu\text{g}/\text{m}^3$ B(a)P which required a Section 30 Notification to the MECP.

All the remaining B(a)P concentrations measured during the five April 2026 B(a)P MECP monitoring events were below the 0.0043 $\mu\text{g}/\text{m}^3$ Measured Level Threshold (MLT) and below the 24-hr Upper Risk Threshold (URT) of 0.0050 $\mu\text{g}/\text{m}^3$ B(a)P

6.0 CONCLUSIONS

The concentration of **0.00649 $\mu\text{g}/\text{m}^3$ B(a)P** measured at the new west monitor on the Sunday April 26, 2026, MECP monitoring was above the **0.00430 $\mu\text{g}/\text{m}^3$ B(a)P Measured Level Threshold (MLT)** which triggered the preparation of the April 2026 AML report.

This measurement was also above the 24-hr Upper Risk Threshold (URT) of **0.0050 $\mu\text{g}/\text{m}^3$ B(a)P** which required Section 30 Notifications to the MECP.

All the remaining B(a)P concentrations measured during the five April 2026 B(a)P MECP monitoring events were below the **0.0043 $\mu\text{g}/\text{m}^3$ Measured Level Threshold (MLT)** and below the 24-hr Upper Risk Threshold (URT) of **0.0050 $\mu\text{g}/\text{m}^3$ B(a)P**.

All the summa canister pressures on receipt were within the allowable MECP guidance pressures on receipt of between - 1.6 inches Hg and - 13.4 inches Hg except for:

- (a) the **Thursday April 2, 2026, MECP monitoring day where the east summa canister had a retrieval pressure of - 30 inches Hg** likely due to the internal valve in the VOC sampler timer failing to open; however, we successfully operated the east VOC monitor again on the **Tuesday April 7, 2026, East Monitor Additional Monitoring Day**.
- (b) The **Sunday April 26, 2026, MECP Monitoring Day** where the summa canister pressure on receipt was - 15.07 inches Hg due to the VOC sampler timer airflow setting needing adjustment. The south VOC monitor sampler timer airflow setting was adjusted by Rotek Inc. on Wednesday May 13, 2026, and south VOC monitor was operated again successfully on the **Thursday May 14, 2026, South Monitor Additional Monitoring Day**.

All the benzene concentrations measured during the April 2026 MECP monitoring events were below the 24-hour Upper Risk Threshold (URT) of **100 $\mu\text{g}/\text{m}^3$ benzene** except for the concentration of **119 $\mu\text{g}/\text{m}^3$ benzene** measured at the south monitor on the **Thursday April 2, 2026, MECP monitoring event** above the 24-hr Upper Risk Threshold (URT) of **100 $\mu\text{g}/\text{m}^3$ benzene** and which required a Section 30 Notification to the MECP.

Signature Page

Robin Hart


Robin S. Hart P.Eng.

Environmental Engineer

Rain Carbon Canada Inc.

APPENDIX A

Monitoring Plan



REPORT

Monitoring Plan for Benzo(a)pyrene and Benzene

Rain Carbon Canada Inc.

Submitted to:

Distribution List

Submitted by:

Rain Carbon Canada Inc.

725 Strathearne Ave. N
Hamilton, ON
L8H 5L3

September 2020

Distribution List

1 PDF Copy - MECP, SDB, Toronto

1 PDF Copy - MECP, Hamilton District Office, Hamilton

1 PDF Copy - Golder Associates.

Table of Contents

1.0 INTRODUCTION	1
1.1 Description of the Facility	1
1.2 Description of the Process	1
1.3 Operating Schedule	1
2.0 AIR QUALITY MONITORING PROGRAM	2
2.1 Sampling Systems and Methodology	2
2.1.1 Calibration	2
2.2 Monitor Locations	3
2.2.1 Siting Criteria	4
2.3 Meteorological Data and Background Concentrations	4
2.4 Laboratory Analysis	5
2.5 Review of Monitoring Locations	5
3.0 REPORTING	6
3.1 Measured Level Threshold	6
4.0 CLOSURE	6

TABLES

Table 2.1: Standard Operation Procedures for Monitoring.....	2
Table 2.2: Relocation Details and Justification.....	3
Table 2.3: Monitor Locations Comparison to MECP Siting Criteria	4
Table 2.4: Meteorological Station Information	5
Table 2.5: Analytical Methodology.....	5

FIGURES

Figure 1 – Site Plan

Figure 2 – Environmental Monitor Locations

APPENDICES

APPENDIX A

Site Photos

1.0 INTRODUCTION

Rain Carbon Canada Inc. (Rain Carbon) prepared an amendment to the monitoring plan (the Plan) which was approved by the Ontario Ministry of Environment, Conservation and Parks (MECP) in November 2019 as part of the conditions of the Site-Specific Standard (SSS) approvals for B(a)P (no. 201-17-rv0) and benzene (no. 202-17-rv0) issued to the Facility on November 21, 2017.

This updated Plan has been prepared to incorporate the fact that the north, east and west monitoring stations have now all been relocated as described in the Plan issued in November 2019 and are now all operational.

(The Plan describes the current air monitoring program performed to monitor concentrations of B(a)P and benzene emissions from the Facility).

1.1 Description of the Facility

Rain Carbon operates a coal tar and petroleum material processing plant located at 725 Strathearne Avenue N., Hamilton, Ontario. The Facility employs 85 people. The size of the plant is about 14 acres and it is in an area zoned for industrial use. The location of the Facility is presented in Figure 1 – Site Location Plan.

1.2 Description of the Process

Rain Carbon processes coal tar and petroleum-based materials into products. The primary production line is to manufacture coal tar pitch and coal tar distillates (CTDs) by processing coal tar. The process is comprised of the following processes and equipment:

- Coal Tar Handling;
- Distillation Process;
- Product Storage Handling;
- Natural Gas Combustion Equipment;
- Fume Gathering and Incineration (FGI) System;
- Fume Scrubber System (FSS); and
- Wastewater Collection and Treatment.

1.3 Operating Schedule

The Facility operates continuously 24 hours a day, seven days a week and 52 weeks per year.

2.0 AIR QUALITY MONITORING PROGRAM

2.1 Sampling Systems and Methodology

As B(a)P and benzene require different sampling methods, two types of sampling systems will be installed at each monitoring location (described below in Section 2.2). A PUF PAH sampling system will be used to detect condensable and non-condensable fractions of B(a)P while a VOC canister system will be used to detect benzene.

Benzene samples will be taken over 24-hour period every 12 days and as of January 1, 2026 B(a)P samples will be taken over 24-hour period every 6 days. This schedule will be matched to that of the Hamilton Air Monitoring Network (HAMN) to enable comparisons with background B(a)P and benzene levels. Monitoring will be carried out in accordance with the standard procedures summarized in Table 2.1.

Table 2.1: Standard Operation Procedures for Monitoring

Pollutant	Reference Documents	Method
Benzene	USEPA Report EPA/625/R-96/010/b, USEPA Method TO-15. ASTM Method D5466-01 Standard Test Method for the Determination of VOCs (Canister Sampling Method) Environment Canada SOP for Passive Canister Sampling – Passive FCSOP05.	Determination of VOCs in Air Collected in Specially Prepared Canister.
B(a)P	SEPA Report EPA/625/R-96/010/b, USEPA Method TO-13A. ASTM Method D6209-98 (2004), Vol. 11.07 A Guide to Air Filter (TSP and PM ₁₀) Sampling and Submission, Ministry of the Environment, Conservation and Parks, May 2003.	Determination of PAHs in Ambient Air Using the hi-vol Method with Teflon-coated Glass Fiber Filter and Sorbent Cartridge; Quantitative GC/MS Detection.

Rain Carbon worked with Rotek Environmental Inc. (Rotek) and others to install the monitoring equipment. Samples are collected by Rain Carbon staff and sent to an accredited laboratory for analysis. Rain Carbon will prepare the monitoring reports as required by the orders.

2.1.1 Calibration

Calibrations will be carried out in accordance with MECP standard operating procedures stating that operators must perform an external performance check and calibration on continuous and non-continuous air monitoring and sampling equipment with a certified calibration unit. This requires that the calibration materials/gases and measurement devices, such as flow meters and pressure gauges, must be certified for accuracy against a reference or transfer standard traceable to a primary reference standard of the United States National Institute of Standards and Technology (NIST) or another equivalent international standards institute. This is to ensure consistency across the province and reproducibility. Calibration devices must also undergo an annual certification assessment.

The monitoring equipment is calibrated by Rotek.

2.2 Monitor Locations

The monitoring locations were selected based on input from the MECP. Based on experience gained through implementing the monitoring program, Rain Carbon relocated the original North, East, and West Monitoring Stations but not the South Monitoring Station. The descriptions of the monitoring station locations are summarized in Table 2.2 below. The monitoring station locations are shown in Figure 2.

Table 2.2: Monitoring Station Locations.

Monitoring Station	Location
North Monitor	This location is at the north fence line, north of Tank 91, with the inlet at an elevation of between 3 m and 15 m above grade and positioned at a distance of at least 2 m away from any structure.
East Monitor	This location is at the east fence line and east of Tank 36 with the inlet at a distance equal or greater than 2 m away from a structure and at an elevation of between 3 m and 15 m above grade.
Old West Monitor	This old west location, approximately 8 metres east of the property boundary, is on a platform above Tank 77 (approximately 13 above grade) is currently located relatively close to and above the railcar loading stations.
New West Monitor	This new west location is closer to ground level to be consistent with the other monitor locations, between the west fence line and the rail tracks, and north of the railcar track 2 spot 10 area with the inlet at an elevation of between 3 m and 15 m above grade and positioned far from any structure.
South Monitor	This location is at the south fence line, south of Tank 3, with the inlet at an elevation of between 3 m and 15 m above grade and positioned at a distance of at least 2 m away from any structure.

Detailed descriptions of the emission sources at the Facility are summarized in the Monitoring Plan approved by the MECP in April 2018.

2.2.1 Siting Criteria

A comparison of each monitoring location against the siting criteria set out in the MECP Operations Manual is provided in Table 2.3 below.

Table 2.3: Monitor Locations Comparison to MECP Siting Criteria.

Contaminant	Criteria	Monitor Location				
		North	East	Old West	New West	South
B(a)P and Benzene	Inlet height 3 to 15 m above grade	Inlet 3 to 15 m above grade	Inlet 3 to 15 m above grade	Inlet 3 to 15 m above grade	Inlet 3 to 15 m above grade	Inlet 3 to 15 m above grade
B(a)P and Benzene	Inlet at least 1 m (vertical) and 2 m (horizontal) away from structure	Yes	Yes	Yes	Yes	Yes
B(a)P and Benzene	No nearby furnace or incineration flues	None	None	None	None	None
B(a)P	Avoids nearby non-process PAH sources (asphalt rooftops, rooftop tarring and roadway/parking lot paving activities) and smoking areas	Yes	Yes	Yes	Yes	Yes
Benzene	Meets minimum separation distance from roadway (10 m)	Yes	Yes	Yes	Yes	Yes

2.3 Meteorological Data and Background Concentrations

The HAMN is used to document meteorological conditions during monitoring events. The previous closest meteorological station to the Facility was station STN29165; however, this station has not been operational since November 1, 2017. Meteorological conditions will be documented using the following nearby HAMN stations: STN29102, STN29180, and STN29565. When conditions are highly variable, the following stations may also be used to document meteorological conditions: STN29167, STN29171, and STN29567.

The background benzene and B(a)P concentrations in the vicinity of the Facility will be reviewed to evaluate the potential impact of nearby sources of emission on the Facility. Rain Carbon will use data from nearby HAMN monitoring stations, prepared by HAMN on a quarterly basis. The HAMN stations to be used

to inform background concentrations include the following HAMN stations: STN29567, STN29547, STN29102 and STN29180. Information on these stations is presented in Table 2.4.

Table 2.4: Meteorological Station Information

HAMN Station	29567	29180	29547	29102	29167	29171	29565
Wind Speed and Direction	✓	✓	—	✓	✓	✓	✓
B(a)P Concentration	✓	✓	✓	—	—	—	—
Benzene Concentration	✓	✓	—	✓	—	—	—
Approximate Distance from Facility [km]	3.9	2.4	1.0	1.5	1.7	2.3	1.3
Orientation from Facility	W	WSW	N	NNE	NNW	WNW	S

The background data assessment will be used to provide context for the Rain Carbon monitoring results should high values be measured. Please note that background values will not be subtracted from the Rain Carbon monitoring results.

2.4 Laboratory Analysis

Rain Carbon will continue to work with the same accredited laboratories that have been retained to analyse samples obtained from the HAMN. The proposed method detection limits and analytical methods are summarized below in Table 2-5.

Table 2.5: Analytical Methodology

Contaminant	Methodology	Method Detection Limit
B(a)P	Gas chromatography mass spectrometry	0.0001 µg/m ³ (0.1 ng/m ³)
Benzene	Mass spectrometry or other detector(s) such as flame ionization detector (FID) or electron capture detector (ECD)	0.16 µg/m ³

2.5 Review of Monitoring Locations

As fees for monitoring equipment rental and/or purchase, sampling materials and laboratory analysis represent a significant, long-term capital expense, Rain Carbon will continue to review the effectiveness and value of each monitoring location. In consultation with the District Manager and the Environmental Monitoring Team, Rain Carbon will propose if any of the monitors can be removed.

3.0 REPORTING

Summary reports of B(a)P and benzene monitoring results will be submitted to the District Manager and the Environmental Monitoring Team as set out in the SSS approval documents.

3.1 Measured Level Threshold

Within 30 days of a B(a)P concentration measuring above the Measured Level threshold in the SSS approval, Rain Carbon will submit a report to the District Manager and SDB Director. The report will contain information such as an analysis of the cause of the measurement above the Measured Level threshold, the Facility production rate at the time and other items as required by Condition 2 of the B(a)P SSS approval.

4.0 CLOSURE

This monitoring plan describes the amended air monitoring program that will be performed in accordance with the Rain Carbon SSS approvals for B(a)P and benzene.

Signature Page

A handwritten signature in black ink that reads "R. S. Hart". The signature is written in a cursive style with a large, prominent 'R' and 'H'.

Robin S. Hart P.Eng.

Environmental Engineer


Rain Carbon Canada Inc.

Figures

Figure 1: Site Plan



Figure 2: Environmental Monitor Locations



Site Photos

Figure A1: Site-Wide Aerial View 1



Figure A2: Site-Wide Aerial View 2



Figure A4: Aerial View 2 – North Monitoring Station.




North monitor

Figure A3: Aerial View 1 – Existing South Monitoring Station



Figure A3: Aerial View 3 – New and Old West Monitoring Stations



New West Monitor



East monitor



Figure A4: Aerial View 4 – East Monitoring Station

APPENDIX B

Laboratory Analysis

Rain Carbon Canada Inc. - Monthly BaP Sampling Report

Reporting Period : April 2026
Sampling Methods : CARB429(ARBM1,M2) mod
Sampling Times : 24-hour duration starting at 00:00 EST on the Sample Date

Parameter
Units
Analytical RDL
Annual Site-Specific Standard

BaP
ng/m ³
0.315
0.8

Sample Date
April 2
April 8
April 14
April 20
April 26

Location					
East	North	Old West	South	New West	STN29164
0.80	0.15	2.34	0.16	1.37	0.16*
3.34	0.52	2.00	0.84	3.95	0.16*
1.01	0.17	0.71	0.17	0.45	0.16*
1.55	0.72	0.17	0.17	0.16	0.16*
0.57	0.16	2.43	0.43	6.49	0.16*

Monthly Ave
Monthly Max
Monthly Min
No. of Samples > Standard
No. of Valid Samples
% Valid Data

1.454	0.344	1.530	0.354	2.484	0.16*
3.34	0.72	2.43	0.84	6.49	0.16*
0.57	0.15	0.17	0.16	0.16	0.16*
3	0	3	1	3	0*
5	5	5	5	5	5*
100	100	100	100	100	100*

*These results alone follow Rotek reporting protocol

Note: All non detectable results reported as ½ the Reportable Detection Limit (RDL).

Comments:

Rain Carbon Canada Inc. - VOC Sampling Report

Reporting Period : April 2026
Sampling Methods : GC/MS (TO15)
Sampling Times : 24-hour duration starting at 00:00 EST on the Sample Date

Parameter
Units
Analytical RDL
Annual Site-Specific Standard

Benzene
µg/m ³
0.319
12.7

Sample Date
April 2
April 7 th East Monitor Additional Monitoring Day
April 14
April 26

Location					
East	North	Old West	South	New West	STN29164
-	0.16	7.61	119	1.07	0.16 *
62.4	-	-	-	-	-
12.7	1.78	6.99	22.0	1.48	0.78*
0.535	0.16	27.1	Invalid sample	3.42	0.39*

Monthly Ave
Monthly Max
Monthly Min
No. of Samples >Standard
No. of Valid Samples
% Valid Data

25.21	0.700	13.9	70.5	1.99	0.44*
62.4	1.78	27.1	119	3.42	0.78*
0.535	0.16	6.99	22	1.48	0.16*
1	0	1	2	0	0*
3	3	3	2	3	3*
100	100	100	67%	100	100*

*These results alone follow Rotek reporting protocol

Note: All non detectable results reported as ½ the Reportable Detection Limit (RDL).

Comments:



APPENDIX C

Chain of Custody Forms



6740 Campobello Rd
Mississauga Ontario, L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

CHAIN OF CUSTODY FORM - AIR

Page ___ of ___

ANALYSIS REQUESTED

CLIENT INFORMATION

Company Name: Rain Carbon Canada Inc.

Project Manager: Robin Hart

e-mail: robin.hart@raincarbon.com

Address: 725 Strathearne Avenue
Hamilton, ON

Phone: 1-647-281-8094 Fax: _____

Sampled by: Robin Hart

PAHs on PUF as per ERP 7013

Field Sample ID	Total Volume Sampled	Flow Rate	Collection Date	Sample Collection Time															
East Monitor PAH April 2, 2026 AZVR23-01	328.90		2-Apr-26	24 hours	x														
North Monitor PAH April 2, 2026 AZVR24-01	334.40		2-Apr-26	24 hours	x														
Old West Monitor PAH April 2, 2026 AZVR25-01	343.00		2-Apr-26	24 hours	x														
South Monitor PAH April 2, 2026 AZVR26-01	313.90		2-Apr-26	24 hours	x														
New West Monitor PAH April 2, 2026 AZVR27-01	319.70		2-Apr-26	24 hours	x														



NONT-2026-04-1261

TAT Requirement

STD 10 Business day

Rush 5 Business day *

Rush 2 Business day *

* need approval from Bureau Veritas

PROJECT INFORMATION

Project #: _____

Name: Rain Carbon Canada Inc.

PO #: 4500625271

BV Quote #: _____

BV Contact: Cristina Bacchus

REPORTING REQUIREMENTS

Summary Report only

EDD

Regulation _____


Notes

Please note if these samples are "Industrial Hygiene" samples
If submitting dustfall samples, please indicate the diameter of the jar opening in cm.

PROJECT SPECIFIC COMMENTS

2026/04/07 16:44

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>



16:44

Driver: Alek Grguric | Company: Rain Carbon Canada Inc.

Waybill#	Client ID	Client Name	P/D Location	P/D	Pickup Piece Count	P/D Date	Start Time	End Time	Department	Comments for Driver
29539	382083145	Rain Carbon Canada Inc.	725 Strathearne Avenue North,, Hamilton, L8H 5L3, Ontario, Canada	Delivery	2	Apr 07 2026	Apr 07 2026 03:08 PM	Apr 07 2026 03:24 PM	Air	C629339



15 Keefer Court
Hamilton, Ontario
L8E 4V4
Phone 905 573 9533
Fax 905 578 5167

PAH Sample Submission Sheet

Sample Date	02-Apr-26
Project ID	Rain Carbon Canada Inc
Sampler Model	TE-1000
Site Operator	York Zhang / Robin Hart

Purchase Order Number	32669
Results to:	jennifer.davies@rotekinc.com
Results to:	daszko@rotekinc.com
Results to:	robin.hart@raincarbon.com
Results to:	york.zhang@raincarbon.com

Station No.	Sample Date	PUF Cartridge #	Maxxam Filter ID #	Install Date	MAGN On	Removal Date	MAGN Off	Total Volume m3	Submission Date
				Install Time	inH2O	Removal Time	inH2O		
STN29164	02 Apr 2026	PUF #1	AZVL83-01	31-Mar-26	33	04-Apr-26	36	320.9	10-Apr-26
		AZVL84-01		14:55		13:15			
Comment 1 :									
Comment 2 :									

C637554
2026/04/10 09:57

CAM FCD-01302 /3



6740 Campobello Rd
Mississauga Ontario, L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

Chain of Custody Form - PUF / PAH

Page 1 of 2

INVOICE INFORMATION				REPORT INFORMATION				ANALYSIS REQUESTED												
Company Name: Rotek Environmental Inc				Company Name: Rotek Environmental Inc				START VACUUM (inches of Hg)	END VACUUM (inches of Hg)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL/INDUSTRIAL	SUB-SLAB GAS	FULL LIST OF VOCs (reference TO15A)	BTEX/Aromatic/Aliphatic Hydrocarbon Fractions	BTEX/F1 (C6-C10) and F2 (C10-C16)	Selected VOC's - please specify	PAHs on PUF by EPA TO13	DO NOT ANALYZE	CANISTERS NOT USED
Contact Name: Paul Daszko				Project Manager: Paul Daszko																
Address: 15 Keefer Court Hamilton				Address: 15 Keefer Court Hamilton																
ON L8E 4V4				ON L8E 4V4																
E-mail: poore@rotekinc.com				E-mail: jennifer.davies@rotekinc.com																
Ph: 905 573 9533				Ph: 905 573 9533																
Sampled by: Robin Hart																				
Field Sample ID	BV PUF ID #	Flow Regulator Serial #	Retrieval Date																	
STN29164	02-Apr-26	PUF #1	AZVL84-01	---	04-Apr-26															



TAT Requirement STD 10 Business day <input checked="" type="checkbox"/> Rush 5 Business day * <input type="checkbox"/> Rush 2 Business day * <input type="checkbox"/> Rush Other * <input type="checkbox"/> * need approval from Bureau Veritas	PROJECT INFORMATION Project #: Name: Rain Carbon Canada Inc PO #: 32669 Bureau Veritas Quote #: Bureau Veritas Contact: Cristina Bacchus Task Order/Line Item	REPORTING REQUIREMENTS EDD <input type="checkbox"/> Regulations ON 153 <input type="checkbox"/> ON 419 <input type="checkbox"/> BC CSR <input type="checkbox"/> Other	Notes 1) please indicate on chain of custody if your samples are soil vapour or ambient air 2) please list all canisters on the chain of custody even if unused PROJECT SPECIFIC COMMENTS Analyse for BaP only in ng/m3. Please copy results to york.zhang@raincarbon.com, robin.hart@raincarbon.com, jennifer.davies@rotekinc.com, daszko@rotekinc.com -41-3F2
Client Signature: Doug Cunningham	Received by: ANAMORRAT SINCH	Date/Time: 10-Apr-26 9:50	Date/Time: 2026/04/10 09:57

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>



15 Keefer Court
 Hamilton, Ontario
 L8E 4V4
 Phone 905 573 9533
 Fax 905 578 5167

VOC Canister Sample Submission Sheet

Sample Date	02-Apr-26
Project Name	Rain Carbon Canada Inc.
Contact Name	Paul Daszko
Contact Number	905 531 2815

Purchase Order Number	32669
Results to:	jennifer.davies@rotekinc.com
Results to:	daszko@rotekinc.com
Results to:	robin.hart@raincarbon.com
Results to:	york.zhang@raincarbon.com

Station Number	Canister ID Number	Sample Date	Installation Date	Installation Time	Initial Pressure	Time On	Time Off	Elapsed Time	Final Pressure	Retrieval Date	Retrieval Time
		dd/mm/yy	dd/mm/yy	EST	inHg	EST	EST	Hours	inHg	dd/mm/yy	EST
STN29164	16090	02-Apr-26	31-Mar-26	15:05	-30.0	00:01	23:59	24.0	-5.0	04-Apr-26	13:05
Comment 1 :											
Comment 2 :											




6740 Campobello Rd
Mississauga Ontario L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

Chain of Custody Form - Summa™ Canister

10-Apr-26 09:54

Cristina (Maria) Bacchus



C637668

CSM AIR-001

INVOICE INFORMATION	REPORT INFORMATION
Company Name: Rotek Environmental Inc	Company Name: Rotek Environmental Inc
Contact Name: Paul Daszko	Project Manager: Paul Daszko
Address: 15 Keefer Court Hamilton ON L8E 4V4	Address: 15 Keefer Court Hamilton ON L8E 4V4
E-mail: poore@rotekinc.com	E-mail: jennifer.davies@rotekinc.com
Ph: 905 573 9533	Ph: 905 573 9533
Sampled by: Robin Hart	

ANALYSIS REQUESTED

START VACUUM (inches)	END VACUUM (inches)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL	SUB-SLAB GAS	FULL LIST OF VOCs (BTEX/Aromatic/Aliphatic Fractions)	BTEX/F1 (C6-C10) and	Selected VOC's - please specify	Other - Do Not Analyze	CANISTERS NOT USED
								X		

Field Sample ID	Canister Serial #	Flow Regulator Serial #	Retrieval Date
STN29164	02-Apr-26	16090	---
			04-Apr-26

TAT Requirement

STD 10 Business day

Rush 5 Business day *

Rush 2 Business day *

Rush Other *

* need approval from Bureau Veritas

PROJECT INFORMATION

Project #: _____

Name: Rain Carbon Canada Inc

PO #: 32669

Bureau Veritas Quote #: _____

Bureau Veritas Contact: Cristina Bacchus

Task Order/Line Item: _____

REPORTING REQUIREMENTS

EDD

Regulations ON 153

ON 419

BC CSR

Other _____

Notes

1) please indicate on chain of custody if your samples are soil vapour or ambient air

2) please list all canisters on the chain of custody even if unused

PROJECT SPECIFIC COMMENTS

Please issue Summa canister pressure upon receipt.

Analyse for Benzene only in ug/m³.

Please copy results to york.zhang@raincarbon.com, robin.hart@raincarbon.com, jennifer.davies@rotekinc.com, daszko@rotekinc.com

Client Signature: Doug Cunningham

Date/Time: 10-Apr-26 9:50

Received by:

Date/Time: 2026/04/10 09:54

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>



6740 Campobello Rd
Mississauga Ontario L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

CHAIN OF CUSTODY FORM - AIR

CAM FCD-01302 /3

Page ___ of ___

ANALYSIS REQUESTED

CLIENT INFORMATION
Company Name: Rain Carbon Canada Inc.
Project Manager: Robin Hart
e-mail: robin.hart@raincarbon.com
Address: 725 Strathearne Avenue
Hamilton, ON
Phone: 1-647-281-8094 Fax: _____
Sampled by: Robin Hart

Field Sample ID	Total Volume Sampled	Flow Rate	Collection Date	Sample Collection Time	PAHs on PUF as per ERP 7013														
East Monitor PAH April 8, 2026 BBAA22-01	314.20		8-Apr-26	24 hours	x														
North Monitor PAH April 8, 2026 BBAA23-01	330.30		8-Apr-26	24 hours	x														
Old West Monitor PAH April 8, 2026 BBAA24-01	305.40		8-Apr-26	24 hours	x														
South Monitor PAH April 8, 2026 BBAA25-01	310.50		8-Apr-26	24 hours	x														
New West Monitor PAH April 8, 2026 BBAA26-01	316.50		8-Apr-26	24 hours	x														



TAT Requirement
 STD 10 Business day -1
 Rush 5 Business day *
 Rush 2 Business day *
 * need approval from Bureau Veritas

PROJECT INFORMATION
 Project #: _____
 Name: Rain Carbon Canada Inc.
 PO #: 4500625271
 BV Quote #: _____
 BV Contact: Cristina Bacchus

REPORTING REQUIREMENTS
 Summary Report only
 EDD
 Regulation: _____

Received by: [Signature]
 Affiliation: [Signature]
 Date/Time: 2026/04/10 17:40

Notes
 Please note if these samples are "Industrial Hygiene" samples
 If submitting dustfall samples, please indicate the diameter of the jar opening in cm.
PROJECT SPECIFIC COMMENTS

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>

*20/20/20
when ice pack.*

C638602
2026/04/13 12:03

AIR



6740 Campobello Rd Toll Free: 1-800-668-0639
Mississauga Ontario, L5N 2L8 Phone: (905) 817-5700
www.bvlabs.com Fax: (905) 817-5777

Chain of Custody Form - PUF / PAH

CAM FCD-01302 /3
Page 1 of 2

INVOICE INFORMATION			REPORT INFORMATION				ANALYSIS REQUESTED															
Company Name: <u>Rotek Environmental Inc</u>			Company Name: <u>Rotek Environmental Inc</u>				START VACUUM (inches of Hg)	END VACUUM (inches of Hg)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL/INDUSTRIAL	SUB-SLAB GAS	FULL LIST OF VOCs (reference TO15A)	BTEX/Aromatic/Aliphatic Hydrocarbon Fractions	BTEX/F1 (C6-C10) and F2 (C10-C16)	Selected VOC's - please specify	PAHs on PUF by EPA TO13	DO NOT ANALYZE	CANISTERS NOT USED			
Contact Name: <u>Paul Daszko</u>			Project Manager: <u>Paul Daszko</u>																			
Address: <u>15 Keefer Court Hamilton</u>			Address: <u>15 Keefer Court Hamilton</u>																			
<u>ON L8E 4V4</u>			<u>ON L8E 4V4</u>																			
E-mail: <u>poore@rotekinc.com</u>			E-mail: <u>jennifer.davies@rotekinc.com</u>																			
Ph: <u>905 573 9533</u>			Ph: <u>905 573 9533</u>																			
Sampled by: <u>Robin Hart</u>																						
Field Sample ID			BV PUF ID #	Flow Regulator Serial #	Retrieval Date																	
<u>STN29164</u>	<u>08-Apr-26</u>	<u>PUF #1</u>	<u>BAPQ61-01</u>	<u>---</u>	<u>13-Apr-26</u>																	



NONT-2026-04-2246

TAT Requirement

STD 10 Business day
 Rush 5 Business day *
 Rush 2 Business day *
 Rush Other *

* need approval from Bureau Veritas

PROJECT INFORMATION

Project #: _____
 Name: Rain Carbon Canada Inc
 PO #: 32669
 Bureau Veritas Quote #: _____
 Bureau Veritas Contac: Cristina Bacchus
 Task Order/Line Item _____

REPORTING REQUIREMENTS

EDD
 Regulations ON 153
 ON 419
 BC CSR
 Other _____

Notes

1) please indicate on chain of custody if your samples are soil vapour or ambient air
 2) please list all canisters on the chain of custody even if unused

PROJECT SPECIFIC COMMENTS

Analyse for BaP only in ng/m3.
 Please copy results to york.zhang@raincarbon.com,
robin.hart@raincarbon.com, jennifer.davies@rotekinc.com,
daszko@rotekinc.com

Client Signature: Doug Cunningham
 Date/Time: 13-Apr-26 12:00

Received by: [Signature]
 Date/Time: 13-Apr-26 12:00

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>



15 Keefer Court
Hamilton, Ontario
L8E 4V4
Phone 905 573 9533
Fax 905 578 5167

PAH Sample Submission Sheet

Sample Date	08-Apr-26
Project ID	Rain Carbon Canada Inc
Sampler Model	TE-1000
Site Operator	York Zhang / Robin Hart

Purchase Order Number	32669
Results to:	jennifer.davies@rotekinc.com
Results to:	daszko@rotekinc.com
Results to:	robin.hart@raincarbon.com
Results to:	york.zhang@raincarbon.com

Station No.	Sample Date	PUF Cartridge #	Maxxam Filter ID #	Install Date	MAGN On	Removal Date	MAGN Off	Total Volume m3	Submission Date
				Install Time	InH2O	Removal Time	InH2O		
STN29164	08 Apr 2026	PUF #1	BAQP60-01	06-Apr-26	31	13-Apr-26	34	314.9	13-Apr-26
		BAQP61-01		11:00		10:40			
Comment 1 :									
Comment 2 :									

C641384

2026/04/17 17:30

CAM FCD-01302 /3



6740 Campobello Rd
Mississauga Ontario, L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

CHAIN OF CUSTODY FORM - AIR

Page ___ of ___

CLIENT INFORMATION

Company Name: Rain Carbon Canada Inc.

Project Manager: Robin Hart
e-mail: robin_hart@raincarbon.com

SECTION

Address: 725 Strathearn Avenue
Hamilton, ON

Phone: 1-647-281-8094 Fax: _____

Sampled by: Robin Hart

Field Sample ID	Total Volume Sampled	Flow Rate	Collection Date	Sample Collection Time	PAHs on PUF as per ERP 7013	ANALYSIS REQUESTED																	
East Monitor PAH April 14, 2026 AZVR38-01	309.70		14-Apr-26	24 hours	x																		
North Monitor PAH April 14, 2026 AZVR39-01	305.90		14-Apr-26	24 hours	x																		
Old West Monitor PAH April 14, 2026 AZVR40-01	307.70		14-Apr-26	24 hours	x																		
South Monitor PAH April 14, 2026 AZVR41-01	304.80		14-Apr-26	24 hours	x																		
New West Monitor PAH April 14, 2026 AZVR42-01	304.00		14-Apr-26	24 hours	x																		



NONT-2026-04-3671

TAT Requirement

STD 10 Business day
 Rush 5 Business day *
 Rush 2 Business day *
 * need approval from Bureau Veritas

PROJECT INFORMATION

Project #: _____
 Name: Rain Carbon Canada Inc.
 PO #: 4500625271
 BV Quote #: _____
 BV Contact: Cristina Bacchus

REPORTING REQUIREMENTS

Summary Report only
 EDD
 Regulation _____

Notes

Please note if these samples are "Industrial Hygiene" samples
 If submitting dustfall samples, please indicate the diameter of the jar opening in cm.

PROJECT SPECIFIC COMMENTS

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>

21/21/21 HO CS
wanna ice faces



6740 Campobello Rd Toll Free: 1-800-668-0639
Mississauga Ontario ,L5N 2L8 Phone: (905) 817-5700
www.bvlabs.com Fax: (905) 817-5777

Chain of Custody Form - PUF / PAH

INVOICE INFORMATION				REPORT INFORMATION				ANALYSIS REQUESTED																								
Company Name: Rotek Environmental Inc		Company Name: Rotek Environmental Inc		START VACUUM (inches of Hg)	END VACUUM (inches of Hg)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL/INDUSTRIAL	SUB-SLAB GAS	FULL LIST OF VOCs (reference TO15A)	BTEX/Aromatic/Aliphatic Hydrocarbon Fractions	BTEX/F1 (C6-C10) and F2 (C10-C16)	Selected VOC's - please specify	PAHs on PUF by EPA TO13	DO NOT ANALYZE	CANISTERS NOT USED	Field Sample ID				BV PUF ID #	Flow Regulator Serial #	Retrieval Date									
Contact Name: Paul Daszko		Project Manager: Paul Daszko															Address: 15 Keefer Court Hamilton				Address: 15 Keefer Court Hamilton				Address: ON L8E 4V4				Address: ON L8E 4V4			
E-mail: poore@rotekinc.com		E-mail: jennifer.davies@rotekinc.com															Ph: 905 573 9533		Ph: 905 573 9533													
Sampled by: Robin Hart																																
STN29164		14-Apr-26															PUF #1		BAPQ68-01		---				15-Apr-26				X			



TAT Requirement

STD 10 Business day

Rush 5 Business day *

Rush 2 Business day *

Rush Other *

* need approval from Bureau Veritas

PROJECT INFORMATION

Project #: _____

Name: Rain Carbon Canada Inc

PO #: 32669

Bureau Veritas Quote #: _____

Bureau Veritas Contact: Cristina Bacchus

Task Order/Line Item _____

REPORTING REQUIREMENTS

EDD _____

Regulations ON 153

ON 419

BC CSR

Other _____

Notes

1) please indicate on chain of custody if your samples are soil vapour or ambient air

2) please list all canisters on the chain of custody even if unused

PROJECT SPECIFIC COMMENTS

Analyse for BaP only in ng/m3.

Please copy results to york.zhang@raincarbon.com, robin.hart@raincarbon.com, jennifer.davies@rotekinc.com, daszko@rotekinc.com

Client Signature: Doug Cunningham

Date/Time: 22-APR-2026 10:40

Received by: [Signature]

Date/Time: 20260422 10:45

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>



15 Keefer Court
Hamilton, Ontario
L8E 4V4
Phone 905 573 9533
Fax 905 578 5167

PAH Sample Submission Sheet

Sample Date	14-Apr-26
Project ID	Rain Carbon Canada Inc
Sampler Model	TE-1000
Site Operator	York Zhang / Robin Hart

Purchase Order Number	32669
Results to:	jennifer.davies@rotekinc.com
Results to:	daszko@rotekinc.com
Results to:	robin.hart@raincarbon.com
Results to:	york.zhang@raincarbon.com

Station No.	Sample Date	PUF	Maxxam	Install Date	MAGN On	Removal Date	MAGN Off	Total Volume	Submission
		Cartridge #	Filter ID #	Install Time	inH2O	Removal Time	inH2O		
STN29164	14 Apr 2026	PUF #1	BAQP67-01	13-Apr-26	31	15-Apr-26	35	309.2	21-Apr-26
		BAQP68-01		10:15		13:20			
Comment 1 :									
Comment 2 :									



6740 Campobello Rd
Mississauga Ontario L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

Chain of Custody Form - Summa™ Canister

CAM FCD-01302 /3

Page 1 1

INVOICE INFORMATION		REPORT INFORMATION		START VACUUM (inches of Hg)	END VACUUM (inches of Hg)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL/INDUSTRIAL	SUB-SLAB	FULL LIST	BTEX/Aromatics Fractions	BTEX/F1 (C)	Selected V	Other	CANISTERS NOT USED
Company Name:	Rain Carbon Canada Inc	Company Name:	Rain Carbon Canada												
Contact Name:	Robin Hart	Project Manager:	Robin Hart	20-Apr-26 08:30											
Address:	725 Strathearne Avenue Hamilton, ON	Address:	725 Strathearne Avenue Hamilton, ON	Julian Tong C641436											
E-mail:	robin.hart@raincarbon.com	E-mail:	robin.hart@raincarbon.com	SM AIR-001											
Ph:	1-647-281-8094	Ph:	1-647-281-8094												
Sampled by:	Robin Hart														
Field Sample ID	Canister Serial #	Flow Regulator Serial #	Collection Date												
East Canister VOC April 14, 2026	14552		14-Apr-26											X	
North Canister VOC April 14, 2026	14913		14-Apr-26											X	
Old West Canister VOC April 14, 2026	7802		14-Apr-26											X	
South Canister VOC April 14, 2026	7793		14-Apr-26											X	
New West Canister VOC April 14, 2026	14518		14-Apr-26											X	
TAT Requirement		PROJECT INFORMATION		REPORTING REQUIREMENTS				Notes							
STD 10 Business day <input checked="" type="checkbox"/> Rush 5 Business day * <input type="checkbox"/> Rush 2 Business day * <input type="checkbox"/> Rush Other * <input type="checkbox"/> * need approval from Bureau Veritas		Project #: Rain Carbon Canada Inc. Name: Robin Hart PO #: 4500625271 Bureau Veritas Quote #: Bureau Veritas Contact: Cristina Bacchus Task Order/Line Item		EDD <input type="checkbox"/> Regulations ON 153 <input type="checkbox"/> ON 419 <input type="checkbox"/> BC CSR <input type="checkbox"/> Other				1) please indicate on chain of custody if your samples are soil vapour or ambient air 2) please list all canisters on the chain of custody even if unused PROJECT SPECIFIC COMMENTS							
Client Signature: Robin Hart Environmental Engineer		Received by:		PLEASE RETURN ALL UNUSED EQUIPMENT											
Date/Time: 17-Apr-26 7:00 PM		Date/Time: 2026/04/20 08:30													



15 Keefer Court
 Hamilton, Ontario
 L8E 4V4
 Phone 905 573 9533
 Fax 905 578 5167

VOC Canister Sample Submission Sheet

Sample Date	14-Apr-26
Project Name	Rain Carbon Canada Inc.
Contact Name	Paul Daszko
Contact Number	905 531 2815

Purchase Order Number	32669
Results to:	jennifer.davies@rotekinc.com
Results to:	daszko@rotekinc.com
Results to:	robin.hart@raincarbon.com
Results to:	york.zhang@raincarbon.com

Station Number	Canister ID Number	Sample Date	Installation Date	Installation Time	Initial Pressure	Time On	Time Off	Elapsed Time	Final Pressure	Retrieval Date	Retrieval Time
		dd/mm/yy	dd/mm/yy	EST	inHg	EST	EST	Hours	inHg	dd/mm/yy	EST
STN29164	17202	14-Apr-26	13-Apr-26	10:05	-30.0	00:01	23:59	24.0	-8.0	15-Apr-26	13:30
Comment 1 :											
Comment 2 :											



6740 Campobello Rd
 Mississauga Ontario L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
 Phone: (905) 817-5700
 Fax: (905) 817-5777

Chain of Custody Form - Summa™ Canister

22-Apr-26 10:44

Cristina (Maria) Bacchus

C642748
 CSM AIR-001

INVOICE INFORMATION		REPORT INFORMATION	
Company Name:	Rotek Environmental Inc	Company Name:	Rotek Environmental Inc
Contact Name:	Paul Daszko	Project Manager:	Paul Daszko
Address:	15 Keefer Court Hamilton ON L8E 4V4	Address:	15 Keefer Court Hamilton ON L8E 4V4
E-mail:	poore@rotekinc.com	E-mail:	jennifer.davies@rotekinc.com
Ph:	905 573 9533	Ph:	905 573 9533
Sampled by:	Robin Hart		

Field Sample ID	Canister Serial #	Flow Regulator Serial #	Retrieval Date	START VACUUM (in)	END VACUUM (in)	SOIL VAPOUR	AMBIENT/INDOOR A	AMBIENT/COMMERCIAL	SUB-SLAB GAS	FULL LIST OF VOCs	BTEX/Aromatic/Aliphatic Fractions	BTEX/F1 (C6-C10) and F2 (C10-C16)	Selected VOC's - please specify	Other - Do Not Analyze	CANISTERS NOT USED
STN29164	14-Apr-26	17202	---	15-Apr-26									X		

TAT Requirement STD 10 Business day <input checked="" type="checkbox"/> Rush 5 Business day * <input type="checkbox"/> Rush 2 Business day * <input type="checkbox"/> Rush Other * <input type="checkbox"/> * need approval from Bureau Veritas	PROJECT INFORMATION Project #: Name: Rain Carbon Canada Inc PO #: 32669 Bureau Veritas Quote #: Bureau Veritas Contact: Cristina Bacchus Task Order/Line Item:	REPORTING REQUIREMENTS EDD <input type="checkbox"/> Regulations ON 153 <input type="checkbox"/> ON 419 <input checked="" type="checkbox"/> BC CSR <input type="checkbox"/> Other	Notes 1) please indicate on chain of custody if your samples are soil vapour or ambient air 2) please list all canisters on the chain of custody even if unused PROJECT SPECIFIC COMMENTS Please issue Summa canister pressure upon receipt. Analyse for Benzene only in ug/m ³ . Please copy results to york.zhang@raincarbon.com, robin.hart@raincarbon.com, jennifer.davies@rotekinc.com, daszko@rotekinc.com

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>



6740 Campobello Rd
 Mississauga Ontario ,L5N 2L8
 www.bvlabs.com

Toll Free: 1-800-668-0639
 Phone: (905) 817-5700
 Fax: (905) 817-5777

CHAIN OF CUSTODY FORM - AIR

CLIENT INFORMATION
 Company Name: Rain Carbon Canada Inc.
 Project Manager: Robin Hart
 e-mail: robin.hart@raincarbon.com
SECTION
 Address: 725 Strathearne Avenue
Hamilton, ON
 Phone: 1-647-281-8094 Fax: _____
 Sampled by: Robin Hart

Field Sample ID	Total Volume Sampled	Flow Rate	Collection Date	Sample Collection Time	PAHs on PUF as per ERP 7013	ANALYSIS REQUESTED																	
East Monitor PAH April 20, 2026 BBAD79-01	297.90		20/Apr/26	24 hours	x																		
North Monitor PAH April 20, 2026 BBAD80-01	314.40		20/Apr/26	24 hours	x																		
Old West Monitor PAH April 20, 2026 BBAD81-01	303.80		20/Apr/26	24 hours	x																		
South Monitor PAH April 20, 2026 BBAD82-01	301.50		20/Apr/26	24 hours	x																		
New West Monitor PAH April 20, 2026 BBAD83-01	316.60		20/Apr/26	24 hours	x																		



NONT-2026-04-5216

TAT Requirement
 STD 10 Business day
 Rush 5 Business day *
 Rush 2 Business day *
 * need approval from Bureau Veritas

PROJECT INFORMATION
 Project #: _____
 Name: Rain Carbon Canada Inc.
 PO #: 4500625271
 BV Quote #: _____
 BV Contact: Cristina Bacchus

REPORTING REQUIREMENTS
 Summary Report only
 EDD
 Regulation _____
 Client Signature: Robin Hart
 Affiliation: Environmental Engineer
 Date/Time: 23-Apr-26 4:00 PM

Notes
 Please note if these samples are "Industrial Hygiene" samples
 If submitting dustfall samples, please indicate the diameter of the jar opening in cm.
PROJECT SPECIFIC COMMENTS

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>

C646136
2026/04/29 10:17

AIR

CAM FCD-01302 /3



6740 Campobello Rd Toll Free: 1-800-668-0639
Mississauga Ontario, L5N 2L8 Phone: (905) 817-5700
www.bvlabs.com Fax: (905) 817-5777

Chain of Custody Form - PUF / PAH

Page 1 of 2

INVOICE INFORMATION				REPORT INFORMATION				ANALYSIS REQUESTED														
Company Name: Rotek Environmental Inc				Company Name: Rotek Environmental Inc				START VACUUM (inches of Hg)	END VACUUM (inches of Hg)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL/INDUSTRIAL	SUB-SLAB GAS	FULL LIST OF VOCs (reference TO15A)	BTEX/Aromatic/Aliphatic Hydrocarbon Fractions	BTEX/F1 (C6-C10) and F2 (C10-C16)	Selected VOC's - please specify	PAHs on PUF by EPA TO13	DO NOT ANALYZE	CANISTERS NOT USED		
Contact Name: Paul Daszko				Project Manager: Paul Daszko																		
Address: 15 Keefer Court Hamilton				Address: 15 Keefer Court Hamilton																		
ON L8E 4V4				ON L8E 4V4																		
E-mail: poore@rotekinc.com				E-mail: jennifer.davies@rotekinc.com																		
Ph: 905 573 9533				Ph: 905 573 9533																		
Sampled by: Robin Hart																						
Field Sample ID			BV PUF ID #	Flow Regulator Serial #	Retrieval Date																	
STN29164	20-Apr-26	PUF #1	BAQP68-01	---	24-Apr-26																	



NONT-2026-04-5769

TAT Requirement STD 10 Business day <input checked="" type="checkbox"/> Rush 5 Business day * <input type="checkbox"/> Rush 2 Business day * <input type="checkbox"/> Rush Other * <input type="checkbox"/> * need approval from Bureau Veritas	PROJECT INFORMATION Project #: Name: Rain Carbon Canada Inc PO #: 32669 Bureau Veritas Quote #: Bureau Veritas Contac: Cristina Bacchus Task Order/Line Item	REPORTING REQUIREMENTS EDD Regulations <input type="checkbox"/> ON 153 <input type="checkbox"/> ON 419 <input type="checkbox"/> BC CSR <input type="checkbox"/> Other	Notes 1) please indicate on chain of custody if your samples are soil vapour or ambient air 2) please list all canisters on the chain of custody even if unused PROJECT SPECIFIC COMMENTS Analyse for BaP only in ng/m3. Please copy results to york.zhang@raincarbon.com, robin.hart@raincarbon.com, jennifer.davies@rotekinc.com, daszko@rotekinc.com
Client Signature: Doug Cunningham	Received by: <i>[Signature]</i>	Date/Time: 29-Apr-26 10:20	Date/Time: 2026/04/29 10:17

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>

21214 0290



15 Keefer Court
Hamilton, Ontario
L8E 4V4
Phone 905 573 9533
Fax 905 578 5167

PAH Sample Submission Sheet

Sample Date	20-Apr-26
Project ID	Rain Carbon Canada Inc
Sampler Model	TE-1000
Site Operator	York Zhang / Robin Hart

Purchase Order Number	32669
Results to:	jennifer.davies@rotekinc.com
Results to:	daszko@rotekinc.com
Results to:	robin.hart@raincarbon.com
Results to:	york.zhang@raincarbon.com


Station No.	Sample Date	PUF Cartridge #	Maxxam Filter ID #	Install Date	MAGN On	Removal Date	MAGN Off	Total Volume m3	Submission
				Install Time	inH2O	Removal Time	inH2O		Date
STN29164	20 Apr 2026	PUF #1	BAQP67-01	15-Apr-26	34	24-Apr-26	32	316.2	29-Apr-26
		BAQP68-01		13:25		14:00			
Comment 1 :									
Comment 2 :									



6740 Campobello Rd
Mississauga Ontario ,L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

CHAIN OF CUSTODY FORM - AIR

CLIENT INFORMATION SECTION	Company Name: Rain Carbon Canada Inc.	PAHs on PUF as per ERP 7013 ANALYSIS REQUESTED  NONT-2026-04-5685
	Project Manager: Robin Hart	
	e-mail: robin.hart@raincarbon.com	
	Address: 725 Strathearne Avenue Hamilton, ON	
Phone: 1-647-281-8094	Fax: _____	
Sampled by: Robin Hart		

Field Sample ID	Total Volume Sampled	Flow Rate	Collection Date	Sample Collection Time															
East Monitor PAH April 26, 2026 BBAH54-01	314.90		26-Apr-26	24 hours	x														
North Monitor PAH April 26, 2026 BBAH55-01	314.20		26-Apr-26	24 hours	x														
Old West Monitor PAH April 26, 2026 BBAH56-01	301.60		26-Apr-26	24 hours	x														
South Monitor PAH April 26, 2026 BBAH57-01	298.70		26-Apr-26	24 hours	x														
New West Monitor PAH April 26, 2026 BBAH58-01	301.20		26-Apr-26	24 hours	x														

TAT Requirement STD 10 Business day <input checked="" type="checkbox"/> Rush 5 Business day * <input type="checkbox"/> Rush 2 Business day * <input type="checkbox"/> * need approval from Bureau Veritas	PROJECT INFORMATION Project #: Name: Rain Carbon Canada Inc. PO #: 4500646153 BV Quote #: BV Contact: Cristina Bacchus	REPORTING REQUIREMENTS Summary Report only <input checked="" type="checkbox"/> EDD <input checked="" type="checkbox"/> Regulation: _____	Notes Please note if these samples are "Industrial Hygiene" samples If submitting dustfall samples, please indicate the diameter of the jar opening in cm. PROJECT SPECIFIC COMMENTS
Client Signature: Robin Hart Affiliation: Environmental Engineer Date/Time: 28-Apr-26 5:30 PM	Received by: <i>SA SUMAN SAHANI</i> Affiliation: _____ Date/Time: 2026/04/28 - 16:16		

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>

15/15/15 see pages, no CS

C647255
2026/05/01 09:16

AIR

CAM FCD-01302 /3

6740 Campobello Rd Toll Free: 1-800-668-0639
 Mississauga Ontario L5N 2L8 Phone: (905) 817-5700
 www.bvlabs.com Fax: (905) 817-5777

Chain of Custody Form - PUF / PAH

Page 1 of 2

INVOICE INFORMATION			REPORT INFORMATION				ANALYSIS REQUESTED												
Company Name: Rotek Environmental Inc			Company Name: Rotek Environmental Inc				START VACUUM (inches of Hg)	END VACUUM (inches of Hg)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL/INDUSTRIAL	SUB-SLAB GAS	FULL LIST OF VOCs (reference TO15A)	BTEX/Aromatic/Aliphatic Hydrocarbon Fractions	BTEX/F1 (C6-C10) and F2 (C10-C16)	Selected VOC's - please specify	PAHs on PUF by EPA TO13	DO NOT ANALYZE	CANISTERS NOT USED
Contact Name: Paul Daszko			Project Manager: Paul Daszko																
Address: 15 Keefer Court Hamilton			Address: 15 Keefer Court Hamilton																
ON L8E 4V4			ON L8E 4V4																
E-mail: poore@rotekinc.com			E-mail: jennifer.davies@rotekinc.com																
Ph: 905 573 9533			Ph: 905 573 9533																
Sampled by: Robin Hart																			
Field Sample ID	BV PUF ID #	Flow Regulator Serial #	Retrieval Date																
STN29164	26-Apr-26	PUF #1	BAQP73-01	---	30-Apr-26														



NONT-2026-05-001

TAT Requirement STD 10 Business day <input checked="" type="checkbox"/> Rush 5 Business day * <input type="checkbox"/> Rush 2 Business day * <input type="checkbox"/> Rush Other * <input type="checkbox"/> * need approval from Bureau Veritas	PROJECT INFORMATION Project #: _____ Name: Rain Carbon Canada Inc PO #: 32669 Bureau Veritas Quote #: _____ Bureau Veritas Contact: Cristina Bacchus Task Order/Line Item: _____	REPORTING REQUIREMENTS EDD <input type="checkbox"/> Regulations ON 153 <input type="checkbox"/> ON 419 <input type="checkbox"/> BC CSR <input type="checkbox"/> Other _____	Notes 1) please indicate on chain of custody if your samples are soil vapour or ambient air 2) please list all canisters on the chain of custody even if unused PROJECT SPECIFIC COMMENTS Analyse for BaP only in ng/m3. Please copy results to york.zhang@raincarbon.com, robin.hart@raincarbon.com, jennifer.davies@rotekinc.com, daszko@rotekinc.com
Client Signature: Doug Cunningham	Received by: <i>[Signature]</i>	Date/Time: 01-May-26 9:15	Date/Time: 2026/05/01 09:16 4/17/26

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>

C647255
2026/05/01 09:16



15 Keefer Court
Hamilton, Ontario
L8E 4V4
Phone 905 573 9533
Fax 905 578 5167

PAH Sample Submission Sheet

Sample Date	26-Apr-26
Project ID	Rain Carbon Canada Inc.
Sampler Model	TE-1000
Site Operator	York Zhang / Robin Hart

Purchase Order Number	32669
Results to:	jennifer.davies@rotekinc.com
Results to:	daszko@rotekinc.com
Results to:	robin.hart@raincarbon.com
Results to:	york.zhang@raincarbon.com

Station No.	Sample Date	PUF Cartridge #	Maxxam Filter ID #	Install Date	MAGN On	Removal Date	MAGN Off	Total Volume m3	Submission
				Install Time	inH2O	Removal Time	inH2O		Date
STN29164	26 Apr 2026	PUF #1	BAQP72-01	24-Apr-26	32	30-Apr-26	33	310.2	01-May-26
		BAQP73-01		14:05		09:45			
Comment 1 :									
Comment 2 :									



6740 Campobello Rd
Mississauga Ontario, L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

Chain of Custody Form - Summa™ Canister

CAM FCD-01302 /3

Page 1 1

INVOICE INFORMATION		REPORT INFORMATION		START VACUUM (inches of Hg)	END VACUUM (inches of Hg)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL/INDUSTRIAL	SUB-SLAB GAS	FULL LIST OF VOCs (reference TO15A)	BTEX/Aromatic/Aliphatic Hydrocarbon Fractions	BTEX/F1 (C6-C)	Selected VOC	Other	CANISTERS NOT USED
Company Name: Rain Carbon Canada Inc		Company Name: Rain Carbon Canada													
Contact Name: Robin Hart		Project Manager: Robin Hart													
Address: 725 Strathearne Avenue Hamilton, ON		Address: 725 Strathearne Avenue Hamilton, ON													
E-mail: robin.hart@raincarbon.com		E-mail: robin.hart@raincarbon.com													
Ph: 1-647-281-8094		Ph: 1-647-281-8094													
Sampled by: Robin Hart															
Field Sample ID	Canister Serial #	Flow Regulator Serial #	Collection Date												
East Canister VOC April 26, 2026	14251		26-Apr-26										X		
North Canister VOC April 26, 2026	264		26-Apr-26										X		
Old West Canister VOC April 26, 2026	7840		26-Apr-26										X		
South Canister VOC April 26, 2026	248		26-Apr-26										X		
New West Canister VOC April 26, 2026	14908		26-Apr-26										X		
TAT Requirement		PROJECT INFORMATION		REPORTING REQUIREMENTS				Notes							
STD 10 Business day <input checked="" type="checkbox"/>		Project #: Rain Carbon Canada Inc.		EDD <input type="checkbox"/>				1) please indicate on chain of custody if your samples are soil vapour or ambient air							
Rush 5 Business day * <input type="checkbox"/>		Name: Robin Hart		Regulations ON 153 <input type="checkbox"/>				2) please list all canisters on the chain of custody even if unused							
Rush 2 Business day * <input type="checkbox"/>		PO #: 4500646153		ON 419 <input type="checkbox"/>				PROJECT SPECIFIC COMMENTS							
Rush Other * <input type="checkbox"/>		Bureau Veritas Quote #		BC CSR <input type="checkbox"/>											
* need approval from Bureau Veritas		Bureau Veritas Contact: Cristina Bacchus		Other <input type="checkbox"/>											
		Task Order/Line Item													
Client Signature: Robin Hart Environmental Engineer		Received by: <i>Sumaya Courtney Sumaya</i>													
Date/Time: 28-Apr-26 5:30 PM		Date/Time:										PLEASE RETURN ALL UNUSED EQUIPMENT			

28-Apr-26 16:16
Julian Tong
C645865
SM AIR-001

Received by the sample reception on 2026/04/28 16:16. ESA 2026/04/29



15 Keefer Court
 Hamilton, Ontario
 L8E 4V4
 Phone 905 573 9533
 Fax 905 578 5167

VOC Canister Sample Submission Sheet

Sample Date	26-Apr-26
Project Name	Rain Carbon Canada Inc.
Contact Name	Paul Daszko
Contact Number	905 531 2815

Purchase Order Number	32669
Results to:	jennifer.davies@rotekinc.com
Results to:	daszko@rotekinc.com
Results to:	robin.hart@raincarbon.com
Results to:	york.zhang@raincarbon.com

Station Number	Canister ID Number	Sample Date	Installation Date	Installation Time	Initial Pressure	Time On	Time Off	Elapsed Time	Final Pressure	Retrieval Date	Retrieval Time
		dd/mm/yy	dd/mm/yy	EST	inHg	EST	EST	Hours	inHg	dd/mm/yy	EST
STN29164	1241	26-Apr-26	21-Apr-26	13:45	-30.0	00:01	23:59	24.0	-9.0	30-Apr-26	09:40
Comment 1 :											
Comment 2 :											



AIR

6740 Campobello Rd
Mississauga Ontario, L5N 2L8
www.bvlabs.com

Toll Free: 1-800-668-0639
Phone: (905) 817-5700
Fax: (905) 817-5777

Chain of Custody Form - Summa™ Canister

CAM FCD-01302 /3

Page 2 of 2

01-May-26 09:16

ANALYSIS REQUESTED

INVOICE INFORMATION

Company Name: Rotek Environmental Inc

Contact Name: Paul Daszko

Address: 15 Keefer Court Hamilton
ON L8E 4V4

E-mail: poore@rotekinc.com

Ph: 905 573 9533

Sampled by: Robin Hart

REPORT INFORMATION

Company Name: Rotek Environmental Inc

Project Manager: Paul Daszko

Address: 15 Keefer Court Hamilton
ON L8E 4V4

E-mail: jennifer.davies@rotekinc.com

Ph: 905 573 9533

Cristina (Maria) Bacchus

**C647402**

SM AIR-001

Field Sample ID	Canister Serial #	Flow Regulator Serial #	Retrieval Date	START VACUUM (in)	END VACUUM (in)	SOIL VAPOUR	AMBIENT/INDOOR AIR	AMBIENT/COMMERCIAL	SUB-SLAB GAS	FULL LIST OF VOCs	BTEX/Aromatic/Aliphatic Fractions	BTEX/F1 (C6-C10) and F2 (C10-C16)	Selected VOC's - please specify	Other - Do Not Analyze	CANISTERS NOT USED
STN29164	26-Apr-26	1241	---	30-Apr-26									X		

TAT Requirement

STD 10 Business day

Rush 5 Business day *

Rush 2 Business day *

Rush Other *

* need approval from Bureau Veritas

PROJECT INFORMATION

Project #: _____

Name: Rain Carbon Canada Inc

PO #: 32669

Bureau Veritas Quote #: _____

Bureau Veritas Contact: Cristina Bacchus

Task Order/Line Item _____

REPORTING REQUIREMENTS

EDD

Regulations ON 153

ON 419

BC CSR

Other _____

Notes

1) please indicate on chain of custody if your samples are soil vapour or ambient air

2) please list all canisters on the chain of custody even if unused

PROJECT SPECIFIC COMMENTS

Please issue Summa canister pressure upon receipt.

Analyse for Benzene only in ug/m³.

Client Signature: Doug Cunningham

Date/Time: 01-May-26 9:15

Received by: [Signature]

Date/Time: 01-May-26 09:16

Please copy results to york.zhang@raincarbon.com, robin.hart@raincarbon.com, jennifer.davies@rotekinc.com, daszko@rotekinc.com

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Bureau Veritas Laboratories' standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms available at <http://www.bvlabs.com/terms-and-conditions>

APPENDIX D

Certificates of Analysis



Your P.O. #: 4500625271
 Site Location: RAIN CARBON CANADA INC.
 Your C.O.C. #: N/A

Attention: Robin Hart

Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/04/20
 Report #: R8726721
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C636294

Received: 2026/04/07, 16:44

Sample Matrix: Puf And Filter
 # Samples Received: 5

Analyses	Quantity	Date		Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	5	2026/04/08	2026/04/20	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	1	2026/04/13	2026/04/17	BRL SOP-00201	CARB429(ARBM1,M2)mod
PAH's in MM5 SamplingTrains (CARB429mod) (1)	4	2026/04/13	2026/04/18	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	5	N/A	2026/04/08		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Napthalene, 2-Methylnapthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 4500625271
Site Location: RAIN CARBON CANADA INC.
Your C.O.C. #: N/A

Attention: Robin Hart
Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/04/20
Report #: R8726721
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C636294

Received: 2026/04/07, 16:44

Encryption Key

Julian Tong
Project Manager Assistant
20 Apr 2026 15:31:18

Please direct all questions regarding this Certificate of Analysis to:
Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BBNX54	BBNX55	BBNX56	BBNX57	
Sampling Date		2026/04/02	2026/04/02	2026/04/02	2026/04/02	
COC Number		N/A	N/A	N/A	N/A	
	UNITS	EAST MONITOR PAH APRIL 2, 2026 AZVR23-01	NORTH MONITOR PAH APRIL 2, 2026 AZVR24-01	OLD WEST MONITOR PAH APRIL 2, 2026 AZVR25-01	SOUTH MONITOR PAH APRIL 2, 2026 AZVR26-01	QC Batch
Volume	m3	328.9	334.4	343.0	313.9	ONSITE
QC Batch = Quality Control Batch						

Bureau Veritas ID		BBNX58	
Sampling Date		2026/04/02	
COC Number		N/A	
	UNITS	NEW WEST MONITOR PAH APRIL 2, 2026 AZVR27-01	QC Batch
Volume	m3	319.7	ONSITE
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C636294
Report Date: 2026/04/20

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBNX54		BBNX55		BBNX56		
Sampling Date		2026/04/02		2026/04/02		2026/04/02		
COC Number		N/A		N/A		N/A		
	UNITS	EAST MONITOR PAH APRIL 2, 2026 AZVR23-01	QC Batch	NORTH MONITOR PAH APRIL 2, 2026 AZVR24-01	QC Batch	OLD WEST MONITOR PAH APRIL 2, 2026 AZVR25-01	RDL	QC Batch

Semivolatile Organics								
Benzo(a)pyrene	ug	0.26	A131946	<0.10	A131946	0.80	0.10	A131946
Surrogate Recovery (%)								
D10-2-Methylnaphthalene	%	63	A131946	67	A131946			
D10-Anthracene	%	94	A131946					
D10-Fluoranthene	%	95	A131946	90	A131946	54		A131946
D10-Phenanthrene	%	87	A131946	80	A131946	51		A131946
D12-Benzo(a)anthracene	%	92	A131946	90	A131946	81		A131946
D12-Benzo(a)pyrene	%	85	A131946	82	A131946	72		A131946
D12-Benzo(b)fluoranthene	%	89	A131946	87	A131946	74		A131946
D12-Benzo(ghi)perylene	%	92	A131946	89	A131946	72		A131946
D12-Chrysene	%	81	A131946	79	A131946	69		A131946
D12-Indeno(1,2,3-cd)pyrene	%	95	A131946	91	A131946	75		A131946
D12-Perylene	%	85	A131946	82	A131946	74		A131946
D14-Dibenzo(a,h)anthracene	%	84	A131946	79	A131946	71		A131946
D8-Acenaphthylene	%	62	A131946	66	A131946			
D8-Naphthalene	%	59	A131946	64	A131946			

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch



BUREAU
VERITAS

Bureau Veritas Job #: C636294
Report Date: 2026/04/20

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBNX57	BBNX58		
Sampling Date		2026/04/02	2026/04/02		
COC Number		N/A	N/A		
	UNITS	SOUTH MONITOR PAH APRIL 2, 2026 AZVR26-01	NEW WEST MONITOR PAH APRIL 2, 2026 AZVR27-01	RDL	QC Batch
Semivolatile Organics					
Benzo(a)pyrene	ug	<0.10	0.44	0.10	A131946
Surrogate Recovery (%)					
D10-2-Methylnaphthalene	%	125	71		A131946
D10-Fluoranthene	%	144	84		A131946
D10-Phenanthrene	%	136	80		A131946
D12-Benzo(a)anthracene	%	107	94		A131946
D12-Benzo(a)pyrene	%	96	84		A131946
D12-Benzo(b)fluoranthene	%	100	87		A131946
D12-Benzo(ghi)perylene	%	99	89		A131946
D12-Chrysene	%	91	81		A131946
D12-Indeno(1,2,3-cd)pyrene	%	103	97		A131946
D12-Perylene	%	94	84		A131946
D14-Dibenzo(a,h)anthracene	%	92	81		A131946
D8-Acenaphthylene	%	141	71		A131946
D8-Naphthalene	%	91	55		A131946
RDL = Reportable Detection Limit QC Batch = Quality Control Batch					



CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BBNX54	BBNX55		BBNX56		
Sampling Date		2026/04/02	2026/04/02		2026/04/02		
COC Number		N/A	N/A		N/A		
	UNITS	EAST MONITOR PAH APRIL 2, 2026 AZVR23-01	NORTH MONITOR PAH APRIL 2, 2026 AZVR24-01	RDL	OLD WEST MONITOR PAH APRIL 2, 2026 AZVR25-01	RDL	QC Batch

Calculated Parameters							
Benzo(a)pyrene	ug/m3	0.00080	<0.00030	0.00030	0.00234	0.00029	A129525
RDL = Reportable Detection Limit							
QC Batch = Quality Control Batch							

Bureau Veritas ID		BBNX57		BBNX58		
Sampling Date		2026/04/02		2026/04/02		
COC Number		N/A		N/A		
	UNITS	SOUTH MONITOR PAH APRIL 2, 2026 AZVR26-01	RDL	NEW WEST MONITOR PAH APRIL 2, 2026 AZVR27-01	RDL	QC Batch

Calculated Parameters						
Benzo(a)pyrene	ug/m3	<0.00032	0.00032	0.00137	0.00031	A129525
RDL = Reportable Detection Limit						
QC Batch = Quality Control Batch						



**BUREAU
VERITAS**

Bureau Veritas Job #: C636294
Report Date: 2026/04/20

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C636294
Report Date: 2026/04/20

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC											
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits			
A131946	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/04/17		81	%	50 - 150			
			D10-Fluoranthene	2026/04/17		101	%	50 - 150			
			D10-Phenanthrene	2026/04/17		92	%	50 - 150			
			D12-Benzo(a)anthracene	2026/04/17		97	%	50 - 150			
			D12-Benzo(a)pyrene	2026/04/17		95	%	50 - 150			
			D12-Benzo(b)fluoranthene	2026/04/17		98	%	50 - 150			
			D12-Benzo(ghi)perylene	2026/04/17		100	%	50 - 150			
			D12-Chrysene	2026/04/17		87	%	50 - 150			
			D12-Indeno(1,2,3-cd)pyrene	2026/04/17		102	%	50 - 150			
			D12-Perylene	2026/04/17		94	%	50 - 150			
			D14-Dibenzo(a,h)anthracene	2026/04/17		87	%	50 - 150			
			D8-Acenaphthylene	2026/04/17		83	%	50 - 150			
			D8-Naphthalene	2026/04/17		77	%	50 - 150			
			Benzo(a)pyrene	2026/04/17		89	%	50 - 150			
			A131946	MPQ	RPD	Benzo(a)pyrene	2026/04/17	8.2		%	50
			A131946	MPQ	Method Blank	D10-2-Methylnaphthalene	2026/04/17		77	%	50 - 150
D10-Fluoranthene	2026/04/17					95	%	50 - 150			
D10-Phenanthrene	2026/04/17					87	%	50 - 150			
D12-Benzo(a)anthracene	2026/04/17					93	%	50 - 150			
D12-Benzo(a)pyrene	2026/04/17					91	%	50 - 150			
D12-Benzo(b)fluoranthene	2026/04/17					93	%	50 - 150			
D12-Benzo(ghi)perylene	2026/04/17					94	%	50 - 150			
D12-Chrysene	2026/04/17					82	%	50 - 150			
D12-Indeno(1,2,3-cd)pyrene	2026/04/17					96	%	50 - 150			
D12-Perylene	2026/04/17					90	%	50 - 150			
D14-Dibenzo(a,h)anthracene	2026/04/17					82	%	50 - 150			
D8-Acenaphthylene	2026/04/17					79	%	50 - 150			
D8-Naphthalene	2026/04/17					76	%	50 - 150			
Benzo(a)pyrene	2026/04/17					<0.10		ug			

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C636294
Report Date: 2026/04/20

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 32669
 Site Location: RAIN CARBON CANADA
 Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
 15 Keefer Court
 Hamilton, ON
 CANADA L8E 4V4

Report Date: 2026/04/20
 Report #: R8726723
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C637554

Received: 2026/04/10, 09:57

Sample Matrix: Puf And Filter
 # Samples Received: 1

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	1	2026/04/10	2026/04/10	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	1	2026/04/13	2026/04/18	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	1	N/A	2026/04/10		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Napthalene, 2-Methylnapthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 32669
Site Location: RAIN CARBON CANADA
Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/04/20
Report #: R8726723
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C637554

Received: 2026/04/10, 09:57

Encryption Key



**AUTHORIZED REPORT
RAPPORT AUTORISÉ**

Bureau Veritas
20 Apr 2026 15:24:06

Please direct all questions regarding this Certificate of Analysis to:
Cristina (Maria) Bacchus, Project Manager
Email: maria.bacchus@bureauveritas.com
Phone# (905)817-5763

=====
This report has been generated and distributed using a secure automated process.
Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.
For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor
validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible
for Ontario Environmental laboratory operations.



BUREAU
VERITAS

Bureau Veritas Job #: C637554
Report Date: 2026/04/20

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA
Your P.O. #: 32669
Sampler Initials: RH

RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BBQB44	
Sampling Date		2026/04/02	
COC Number		NA	
	UNITS	STN29164 02-APR-26 PUF#1	QC Batch
Volume	m3	320.9	ONSITE
QC Batch = Quality Control Batch			



SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBQB44		
Sampling Date		2026/04/02		
COC Number		NA		
	UNITS	STN29164 02-APR-26 PUF#1	RDL	QC Batch
Benzo(a)pyrene	ug	<0.10	0.10	A131946
Surrogate Recovery (%)				
D10-2-Methylnaphthalene	%	71		A131946
D10-Fluoranthene	%	93		A131946
D10-Phenanthrene	%	82		A131946
D12-Benzo(a)anthracene	%	90		A131946
D12-Benzo(a)pyrene	%	83		A131946
D12-Benzo(b)fluoranthene	%	89		A131946
D12-Benzo(ghi)perylene	%	91		A131946
D12-Chrysene	%	81		A131946
D12-Indeno(1,2,3-cd)pyrene	%	92		A131946
D12-Perylene	%	83		A131946
D14-Dibenzo(a,h)anthracene	%	80		A131946
D8-Acenaphthylene	%	74		A131946
D8-Naphthalene	%	67		A131946
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C637554
Report Date: 2026/04/20

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA
Your P.O. #: 32669
Sampler Initials: RH

CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BBQB44		
Sampling Date		2026/04/02		
COC Number		NA		
	UNITS	STN29164 02-APR-26 PUF#1	RDL	QC Batch
Benzo(a)pyrene	ng/m3	<0.31	0.31	A130870
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				



BUREAU
VERITAS

Bureau Veritas Job #: C637554
Report Date: 2026/04/20

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA
Your P.O. #: 32669
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C637554
Report Date: 2026/04/20

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA
Your P.O. #: 32669
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC									
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits	
A131946	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/04/17		81	%	50 - 150	
			D10-Fluoranthene	2026/04/17		101	%	50 - 150	
			D10-Phenanthrene	2026/04/17		92	%	50 - 150	
			D12-Benzo(a)anthracene	2026/04/17		97	%	50 - 150	
			D12-Benzo(a)pyrene	2026/04/17		95	%	50 - 150	
			D12-Benzo(b)fluoranthene	2026/04/17		98	%	50 - 150	
			D12-Benzo(ghi)perylene	2026/04/17		100	%	50 - 150	
			D12-Chrysene	2026/04/17		87	%	50 - 150	
			D12-Indeno(1,2,3-cd)pyrene	2026/04/17		102	%	50 - 150	
			D12-Perylene	2026/04/17		94	%	50 - 150	
			D14-Dibenzo(a,h)anthracene	2026/04/17		87	%	50 - 150	
			D8-Acenaphthylene	2026/04/17		83	%	50 - 150	
			D8-Naphthalene	2026/04/17		77	%	50 - 150	
			Benzo(a)pyrene	2026/04/17		89	%	50 - 150	
			A131946	MPQ	RPD	Benzo(a)pyrene	2026/04/17	8.2	
A131946	MPQ	Method Blank	D10-2-Methylnaphthalene	2026/04/17		77	%	50 - 150	
			D10-Fluoranthene	2026/04/17		95	%	50 - 150	
			D10-Phenanthrene	2026/04/17		87	%	50 - 150	
			D12-Benzo(a)anthracene	2026/04/17		93	%	50 - 150	
			D12-Benzo(a)pyrene	2026/04/17		91	%	50 - 150	
			D12-Benzo(b)fluoranthene	2026/04/17		93	%	50 - 150	
			D12-Benzo(ghi)perylene	2026/04/17		94	%	50 - 150	
			D12-Chrysene	2026/04/17		82	%	50 - 150	
			D12-Indeno(1,2,3-cd)pyrene	2026/04/17		96	%	50 - 150	
			D12-Perylene	2026/04/17		90	%	50 - 150	
			D14-Dibenzo(a,h)anthracene	2026/04/17		82	%	50 - 150	
			D8-Acenaphthylene	2026/04/17		79	%	50 - 150	
			D8-Naphthalene	2026/04/17		76	%	50 - 150	
			Benzo(a)pyrene	2026/04/17		<0.10		ug	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C637554
Report Date: 2026/04/20

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA
Your P.O. #: 32669
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 4500625271
 Your Project #: RAIN CARBON CANADA INC.
 Your C.O.C. #: NA

Attention: Robin Hart

Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/04/21
 Report #: R8727033
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C636253

Received: 2026/04/07, 16:44

Sample Matrix: Air
 # Samples Received: 4

Analyses	Date		Laboratory Method	Analytical Method
	Quantity Extracted	Date Analyzed		
Canister Pressure (TO-15)	4	N/A	2026/04/13 BRL SOP-00304	EPA TO-15 m
Volatile Organics in Air (TO-15) (1)	4	N/A	2026/04/13 BRL SOP-00304	EPA TO-15 m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Air sampling canisters have been cleaned in accordance with U.S. EPA Method TO15. At the end of the cleaning, evacuation, and pressurization cycles, one canister was selected and was pressurized with Zero Air. This canister was then analyzed via TO15 on a GC/MS. The canister must have been found to contain <0.2 ppbv concentration of all target analytes in order for the batch to have been considered clean. Each canister also underwent a leak check prior to shipment.

Please Note: SUMMA® canister samples will be retained by Bureau Veritas for a period of 5 calendar days or as contractually agreed from the date of this report, after which time they will be cleaned for reuse. If you require a longer sample storage period, please contact your service representative.



Your P.O. #: 4500625271
Your Project #: RAIN CARBON CANADA INC.
Your C.O.C. #: NA

Attention: Robin Hart

Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/04/21
Report #: R8727033
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C636253

Received: 2026/04/07, 16:44

Encryption Key

Julian Tong
Project Manager Assistant
21 Apr 2026 09:56:03

Please direct all questions regarding this Certificate of Analysis to:
Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



BUREAU
VERITAS

Bureau Veritas Job #: C636253
Report Date: 2026/04/21

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

RESULTS OF ANALYSES OF AIR

Bureau Veritas ID		BBNV58	BBNV59	BBNV60	BBNV61	
Sampling Date		2026/04/02	2026/04/02	2026/04/02	2026/04/02	
COC Number		NA	NA	NA	NA	
	UNITS	NORTH CANISTER VOC MARCH 21,2026/309	OLD WEST CANISTER VOC MARCH 21,2026/7821	SOUTH CANISTER VOC MARCH 21,2026/17998	NEW WEST CANISTER VOC MARCH 21,2026/11630	QC Batch
Volatile Organics						
Pressure on Receipt	psig	(-3.8)	(-2.8)	(-5.2)	(-3.1)	A131904
QC Batch = Quality Control Batch						



VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BBNV58			BBNV59				
Sampling Date		2026/04/02			2026/04/02				
COC Number		NA			NA				
	UNITS	NORTH CANISTER VOC MARCH 21,2026/309	ug/m3	DL (ug/m3)	OLD WEST CANISTER VOC MARCH 21,2026/7821	RDL	ug/m3	DL (ug/m3)	QC Batch

Volatile Organics									
Benzene	ppbv	<0.10	<0.319	0.319	2.38	0.10	7.61	0.319	A131907
Surrogate Recovery (%)									
Bromochloromethane	%	85	N/A	N/A	89		N/A	N/A	A131907
D5-Chlorobenzene	%	84	N/A	N/A	85		N/A	N/A	A131907
Difluorobenzene	%	87	N/A	N/A	88		N/A	N/A	A131907
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									

Bureau Veritas ID		BBNV59			BBNV60				
Sampling Date		2026/04/02			2026/04/02				
COC Number		NA			NA				
	UNITS	OLD WEST CANISTER VOC MARCH 21,2026/7821 Lab-Dup	ug/m3	DL (ug/m3)	SOUTH CANISTER VOC MARCH 21,2026/17998	RDL	ug/m3	DL (ug/m3)	QC Batch

Volatile Organics									
Benzene	ppbv	2.37	7.57	0.319	37.1	0.10	119	0.319	A131907
Surrogate Recovery (%)									
Bromochloromethane	%	89	N/A	N/A	96		N/A	N/A	A131907
D5-Chlorobenzene	%	86	N/A	N/A	96		N/A	N/A	A131907
Difluorobenzene	%	88	N/A	N/A	101		N/A	N/A	A131907
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate N/A = Not Applicable									



BUREAU
VERITAS

Bureau Veritas Job #: C636253
Report Date: 2026/04/21

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BBNV61				
Sampling Date		2026/04/02				
COC Number		NA				
	UNITS	NEW WEST CANISTER VOC MARCH 21,2026/11630	RDL	ug/m3	DL (ug/m3)	QC Batch
Volatile Organics						
Benzene	ppbv	0.33	0.10	1.07	0.319	A131907
Surrogate Recovery (%)						
Bromochloromethane	%	80		N/A	N/A	A131907
D5-Chlorobenzene	%	79		N/A	N/A	A131907
Difluorobenzene	%	81		N/A	N/A	A131907
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable						



**BUREAU
VERITAS**

Bureau Veritas Job #: C636253
Report Date: 2026/04/21

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C636253
Report Date: 2026/04/21

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
A131907	DM2	Spiked Blank	Bromochloromethane	2026/04/13		105	%	60 - 140	
			D5-Chlorobenzene	2026/04/13		105	%	60 - 140	
			Difluorobenzene	2026/04/13		105	%	60 - 140	
			Benzene	2026/04/13		99	%	70 - 130	
A131907	DM2	Method Blank	Bromochloromethane	2026/04/13		99	%	60 - 140	
			D5-Chlorobenzene	2026/04/13		94	%	60 - 140	
			Difluorobenzene	2026/04/13		100	%	60 - 140	
			Benzene	2026/04/13	<0.10		ppbv		
A131907	DM2	RPD	Benzene	2026/04/09	3.6		%	25	
A131907	DM2	RPD [BBNV59-01]	Benzene	2026/04/13	0.50		%	25	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



**BUREAU
VERITAS**

Bureau Veritas Job #: C636253
Report Date: 2026/04/21

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in black ink that reads 'AMacfarlane'.

Anke Macfarlane, Laboratory Manager, VOC

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 32669
Site Location: RAIN CARBON CANADA INC
Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/04/23
Report #: R8728685
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C637668

Received: 2026/04/10, 09:54

Sample Matrix: Air
Samples Received: 1

Analyses	Date		Laboratory Method	Analytical Method
	Quantity Extracted	Date Analyzed		
Canister Pressure (TO-15)	1	N/A	2026/04/15 BRL SOP-00304	EPA TO-15 m
Volatile Organics in Air (TO-15) (1)	1	N/A	2026/04/15 BRL SOP-00304	EPA TO-15 m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Air sampling canisters have been cleaned in accordance with U.S. EPA Method TO15. At the end of the cleaning, evacuation, and pressurization cycles, one canister was selected and was pressurized with Zero Air. This canister was then analyzed via TO15 on a GC/MS. The canister must have been found to contain <0.2 ppbv concentration of all target analytes in order for the batch to have been considered clean. Each canister also underwent a leak check prior to shipment.

Please Note: SUMMA® canister samples will be retained by Bureau Veritas for a period of 5 calendar days or as contractually agreed from the date of this report, after which time they will be cleaned for reuse. If you require a longer sample storage period, please contact your service representative.



Your P.O. #: 32669
Site Location: RAIN CARBON CANADA INC
Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/04/23
Report #: R8728685
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C637668

Received: 2026/04/10, 09:54

Encryption Key



**AUTHORIZED REPORT
RAPPORT AUTORISÉ**

Bureau Veritas
23 Apr 2026 10:12:39

Please direct all questions regarding this Certificate of Analysis to:
Cristina (Maria) Bacchus, Project Manager
Email: maria.bacchus@bureauveritas.com
Phone# (905)817-5763

=====
This report has been generated and distributed using a secure automated process.
Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.
For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor
validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible
for Ontario Environmental laboratory operations.



**BUREAU
VERITAS**

Bureau Veritas Job #: C637668
Report Date: 2026/04/23

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

RESULTS OF ANALYSES OF AIR

Bureau Veritas ID		BBQH79	
Sampling Date		2026/04/02	
COC Number		NA	
	UNITS	STN29164 02-APR-26/16090	QC Batch
Volatile Organics			
Pressure on Receipt	psig	(-1.7)	A133896
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C637668
Report Date: 2026/04/23

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BBQH79				
Sampling Date		2026/04/02				
COC Number		NA				
	UNITS	STN29164 02-APR-26/16090	RDL	ug/m3	DL (ug/m3)	QC Batch
Volatile Organics						
Benzene	ppbv	<0.10	0.10	<0.319	0.319	A133759
Surrogate Recovery (%)						
Bromochloromethane	%	98		N/A	N/A	A133759
D5-Chlorobenzene	%	97		N/A	N/A	A133759
Difluorobenzene	%	98		N/A	N/A	A133759
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable						



**BUREAU
VERITAS**

Bureau Veritas Job #: C637668
Report Date: 2026/04/23

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C637668
Report Date: 2026/04/23

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
A133759	DVP	Spiked Blank		Bromochloromethane	2026/04/15		100	%	60 - 140
				D5-Chlorobenzene	2026/04/15		98	%	60 - 140
				Difluorobenzene	2026/04/15		97	%	60 - 140
				Benzene	2026/04/15		104	%	70 - 130
A133759	DVP	Method Blank		Bromochloromethane	2026/04/15		93	%	60 - 140
				D5-Chlorobenzene	2026/04/15		91	%	60 - 140
				Difluorobenzene	2026/04/15		93	%	60 - 140
				Benzene	2026/04/15	<0.10		ppbv	

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C637668
Report Date: 2026/04/23

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in cursive script that reads 'Melanie Mabini'.

Melanie Mabini, Team Leader

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 4500625271
 Your Project #: RAIN CARBON CANADA INC.
 Your C.O.C. #: NA

Attention: Robin Hart
 Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/04/23
 Report #: R8728602
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C637456

Received: 2026/04/09, 17:10

Sample Matrix: Air
 # Samples Received: 1

Analyses	Date		Laboratory Method	Analytical Method
	Quantity Extracted	Date Analyzed		
Canister Pressure (TO-15)	1	N/A	2026/04/15 BRL SOP-00304	EPA TO-15 m
Volatile Organics in Air (TO-15) (1)	1	N/A	2026/04/15 BRL SOP-00304	EPA TO-15 m

Remarks:
 Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Air sampling canisters have been cleaned in accordance with U.S. EPA Method TO15. At the end of the cleaning, evacuation, and pressurization cycles, one canister was selected and was pressurized with Zero Air. This canister was then analyzed via TO15 on a GC/MS. The canister must have been found to contain <0.2 ppbv concentration of all target analytes in order for the batch to have been considered clean. Each canister also underwent a leak check prior to shipment.

Please Note: SUMMA® canister samples will be retained by Bureau Veritas for a period of 5 calendar days or as contractually agreed from the date of this report, after which time they will be cleaned for reuse. If you require a longer sample storage period, please contact your service representative.



Your P.O. #: 4500625271
Your Project #: RAIN CARBON CANADA INC.
Your C.O.C. #: NA

Attention: Robin Hart

Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/04/23
Report #: R8728602
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C637456

Received: 2026/04/09, 17:10

Encryption Key

Julian Tong
Project Manager Assistant
23 Apr 2026 15:05:50

Please direct all questions regarding this Certificate of Analysis to:

Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



**BUREAU
VERITAS**

Bureau Veritas Job #: C637456
Report Date: 2026/04/23

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

RESULTS OF ANALYSES OF AIR

Bureau Veritas ID		BBPX08	
Sampling Date		2026/04/07	
COC Number		NA	
	UNITS	EAST CANISTER VOC APRIL 7,2026/298	QC Batch
Volatile Organics			
Pressure on Receipt	psig	(-1.2)	A133896
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C637456
Report Date: 2026/04/23

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BBPX08				
Sampling Date		2026/04/07				
COC Number		NA				
	UNITS	EAST CANISTER VOC APRIL 7,2026/298	RDL	ug/m3	DL (ug/m3)	QC Batch
Volatile Organics						
Benzene	ppbv	19.5	0.10	62.4	0.319	A133759
Surrogate Recovery (%)						
Bromochloromethane	%	93		N/A	N/A	A133759
D5-Chlorobenzene	%	91		N/A	N/A	A133759
Difluorobenzene	%	93		N/A	N/A	A133759
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable						



**BUREAU
VERITAS**

Bureau Veritas Job #: C637456
Report Date: 2026/04/23

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C637456
Report Date: 2026/04/23

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC								
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
A133759	DVP	Spiked Blank	Bromochloromethane	2026/04/15		100	%	60 - 140
			D5-Chlorobenzene	2026/04/15		98	%	60 - 140
			Difluorobenzene	2026/04/15		97	%	60 - 140
			Benzene	2026/04/15		104	%	70 - 130
A133759	DVP	Method Blank	Bromochloromethane	2026/04/15		93	%	60 - 140
			D5-Chlorobenzene	2026/04/15		91	%	60 - 140
			Difluorobenzene	2026/04/15		93	%	60 - 140
			Benzene	2026/04/15	<0.10		ppbv	

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C637456
Report Date: 2026/04/23

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in cursive script that reads 'Melanie Mabini'.

Melanie Mabini, Team Leader

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 4500625271
 Site Location: RAIN CARBON CANADA INC.
 Your C.O.C. #: N/A

Attention: Robin Hart

Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/04/24
 Report #: R8729893
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C639719

Received: 2026/04/10, 17:40

Sample Matrix: Puf And Filter
 # Samples Received: 5

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	5	2026/04/15	2026/04/24	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	5	2026/04/17	2026/04/23	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	5	N/A	2026/04/15		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Naphthalene, 2-Methylnaphthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 4500625271
Site Location: RAIN CARBON CANADA INC.
Your C.O.C. #: N/A

Attention: Robin Hart
Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/04/24
Report #: R8729893
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C639719

Received: 2026/04/10, 17:40

Encryption Key

Julian Tong
Project Manager Assistant
24 Apr 2026 16:51:25

Please direct all questions regarding this Certificate of Analysis to:
Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BBUE23	BBUE24	BBUE25	BBUE26	
Sampling Date		2026/04/08	2026/04/08	2026/04/08	2026/04/08	
COC Number		N/A	N/A	N/A	N/A	
	UNITS	EAST MONITOR PAH APRIL 8, 2026 BBAA22-01	NORTH MONITOR PAH APRIL 8, 2026 BBAA23-01	OLD WEST MONITOR PAH APRIL 8, 2026 BBAA24-01	SOUTH MONITOR PAH APRIL 8, 2026 BBAA25-01	QC Batch
Volume	m3	314.2	330.3	305.4	310.5	ONSITE
QC Batch = Quality Control Batch						

Bureau Veritas ID		BBUE27	
Sampling Date		2026/04/08	
COC Number		N/A	
	UNITS	NEW WEST MONITOR PAH APRIL 8, 2026 BBAA26-01	QC Batch
Volume	m3	316.5	ONSITE
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C639719
Report Date: 2026/04/24

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBUE23		BBUE24		BBUE25		
Sampling Date		2026/04/08		2026/04/08		2026/04/08		
COC Number		N/A		N/A		N/A		
	UNITS	EAST MONITOR PAH APRIL 8, 2026 BBAA22-01	QC Batch	NORTH MONITOR PAH APRIL 8, 2026 BBAA23-01	QC Batch	OLD WEST MONITOR PAH APRIL 8, 2026 BBAA24-01	RDL	QC Batch
Semivolatile Organics								
Benzo(a)pyrene	ug	1.05	A135192	0.17	A135192	0.61	0.10	A135192
Surrogate Recovery (%)								
D10-2-Methylnaphthalene	%					91		A135192
D10-Fluoranthene	%	84	A135192	86	A135192	116		A135192
D10-Phenanthrene	%	79	A135192	80	A135192	110		A135192
D12-Benzo(a)anthracene	%	89	A135192	90	A135192	96		A135192
D12-Benzo(a)pyrene	%	85	A135192	82	A135192	85		A135192
D12-Benzo(b)fluoranthene	%	79	A135192	83	A135192	85		A135192
D12-Benzo(ghi)perylene	%	85	A135192	86	A135192	87		A135192
D12-Chrysene	%	84	A135192	86	A135192	90		A135192
D12-Indeno(1,2,3-cd)pyrene	%	94	A135192	86	A135192	93		A135192
D12-Perylene	%	85	A135192	82	A135192	83		A135192
D14-Dibenzo(a,h)anthracene	%	82	A135192	78	A135192	80		A135192
D8-Acenaphthylene	%	52	A135192			99		A135192
D8-Naphthalene	%					83		A135192
RDL = Reportable Detection Limit QC Batch = Quality Control Batch								



BUREAU
VERITAS

Bureau Veritas Job #: C639719
Report Date: 2026/04/24

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBUE26	BBUE27		
Sampling Date		2026/04/08	2026/04/08		
COC Number		N/A	N/A		
	UNITS	SOUTH MONITOR PAH APRIL 8, 2026 BBAA25-01	NEW WEST MONITOR PAH APRIL 8, 2026 BBAA26-01	RDL	QC Batch
Semivolatile Organics					
Benzo(a)pyrene	ug	0.26	1.25	0.10	A135192
Surrogate Recovery (%)					
D10-2-Methylnaphthalene	%	79	91		A135192
D10-Fluoranthene	%	90	113		A135192
D10-Phenanthrene	%	86	108		A135192
D12-Benzo(a)anthracene	%	98	98		A135192
D12-Benzo(a)pyrene	%	87	86		A135192
D12-Benzo(b)fluoranthene	%	88	82		A135192
D12-Benzo(ghi)perylene	%	88	85		A135192
D12-Chrysene	%	91	84		A135192
D12-Indeno(1,2,3-cd)pyrene	%	87	92		A135192
D12-Perylene	%	86	86		A135192
D14-Dibenzo(a,h)anthracene	%	78	82		A135192
D8-Acenaphthylene	%	83	98		A135192
D8-Naphthalene	%	63	83		A135192
RDL = Reportable Detection Limit QC Batch = Quality Control Batch					



CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BBUE23		BBUE24		BBUE25		
Sampling Date		2026/04/08		2026/04/08		2026/04/08		
COC Number		N/A		N/A		N/A		
	UNITS	EAST MONITOR PAH APRIL 8, 2026 BBAA22-01	RDL	NORTH MONITOR PAH APRIL 8, 2026 BBAA23-01	RDL	OLD WEST MONITOR PAH APRIL 8, 2026 BBAA24-01	RDL	QC Batch

Calculated Parameters								
Benzo(a)pyrene	ug/m3	0.00334	0.00032	0.00052	0.00030	0.00200	0.00033	A133686
RDL = Reportable Detection Limit								
QC Batch = Quality Control Batch								

Bureau Veritas ID		BBUE26		BBUE27		
Sampling Date		2026/04/08		2026/04/08		
COC Number		N/A		N/A		
	UNITS	SOUTH MONITOR PAH APRIL 8, 2026 BBAA25-01		NEW WEST MONITOR PAH APRIL 8, 2026 BBAA26-01	RDL	QC Batch

Calculated Parameters						
Benzo(a)pyrene	ug/m3	0.00084		0.00395	0.00032	A133686
RDL = Reportable Detection Limit						
QC Batch = Quality Control Batch						



**BUREAU
VERITAS**

Bureau Veritas Job #: C639719
Report Date: 2026/04/24

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C639719
Report Date: 2026/04/24

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC											
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits			
A135192	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/04/23		51	%	50 - 150			
			D10-Fluoranthene	2026/04/23		95	%	50 - 150			
			D10-Phenanthrene	2026/04/23		90	%	50 - 150			
			D12-Benzo(a)anthracene	2026/04/23		93	%	50 - 150			
			D12-Benzo(a)pyrene	2026/04/23		93	%	50 - 150			
			D12-Benzo(b)fluoranthene	2026/04/23		90	%	50 - 150			
			D12-Benzo(ghi)perylene	2026/04/23		92	%	50 - 150			
			D12-Chrysene	2026/04/23		91	%	50 - 150			
			D12-Indeno(1,2,3-cd)pyrene	2026/04/23		92	%	50 - 150			
			D12-Perylene	2026/04/23		89	%	50 - 150			
			D14-Dibenzo(a,h)anthracene	2026/04/23		79	%	50 - 150			
			D8-Acenaphthylene	2026/04/23		74	%	50 - 150			
			Benzo(a)pyrene	2026/04/23		87	%	50 - 150			
			A135192	MPQ	RPD	Benzo(a)pyrene	2026/04/23	5.2		%	50
			A135192	MPQ	Method Blank	D10-Fluoranthene	2026/04/23		87	%	50 - 150
D10-Phenanthrene	2026/04/23					85	%	50 - 150			
D12-Benzo(a)anthracene	2026/04/23					87	%	50 - 150			
D12-Benzo(a)pyrene	2026/04/23					85	%	50 - 150			
D12-Benzo(b)fluoranthene	2026/04/23					84	%	50 - 150			
D12-Benzo(ghi)perylene	2026/04/23					86	%	50 - 150			
D12-Chrysene	2026/04/23					85	%	50 - 150			
D12-Indeno(1,2,3-cd)pyrene	2026/04/23					85	%	50 - 150			
D12-Perylene	2026/04/23					84	%	50 - 150			
D14-Dibenzo(a,h)anthracene	2026/04/23					73	%	50 - 150			
D8-Acenaphthylene	2026/04/23		73	%	50 - 150						
			Benzo(a)pyrene	2026/04/23	<0.10		ug				

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C639719
Report Date: 2026/04/24

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 32669
 Site Location: RAIN CARBON CANADA INC
 Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
 15 Keefer Court
 Hamilton, ON
 CANADA L8E 4V4

Report Date: 2026/04/24
 Report #: R8729885
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C638602

Received: 2026/04/13, 12:03

Sample Matrix: Puf And Filter
 # Samples Received: 1

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	1	2026/04/13	2026/04/24	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	1	2026/04/17	2026/04/23	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	1	N/A	2026/04/13		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Naphthalene, 2-Methylnaphthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 32669
Site Location: RAIN CARBON CANADA INC
Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/04/24
Report #: R8729885
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C638602

Received: 2026/04/13, 12:03

Encryption Key



**AUTHORIZED REPORT
RAPPORT AUTORISÉ**

Bureau Veritas
24 Apr 2026 16:40:30

Please direct all questions regarding this Certificate of Analysis to:
Cristina (Maria) Bacchus, Project Manager
Email: maria.bacchus@bureauveritas.com
Phone# (905)817-5763

=====
This report has been generated and distributed using a secure automated process.
Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.
For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor
validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible
for Ontario Environmental laboratory operations.



**BUREAU
VERITAS**

Bureau Veritas Job #: C638602
Report Date: 2026/04/24

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BBSC12	
Sampling Date		2026/04/08	
COC Number		NA	
	UNITS	STN29164 08-APR-26 PUF #1	QC Batch
Volume	m3	314.9	ONSITE
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C638602
Report Date: 2026/04/24

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBSC12		
Sampling Date		2026/04/08		
COC Number		NA		
	UNITS	STN29164 08-APR-26 PUF #1	RDL	QC Batch
Benzo(a)pyrene	ug	<0.10	0.10	A135192
Surrogate Recovery (%)				
D10-2-Methylnaphthalene	%	50		A135192
D10-Fluoranthene	%	90		A135192
D10-Phenanthrene	%	83		A135192
D12-Benzo(a)anthracene	%	90		A135192
D12-Benzo(a)pyrene	%	83		A135192
D12-Benzo(b)fluoranthene	%	86		A135192
D12-Benzo(ghi)perylene	%	86		A135192
D12-Chrysene	%	86		A135192
D12-Indeno(1,2,3-cd)pyrene	%	88		A135192
D12-Perylene	%	83		A135192
D14-Dibenzo(a,h)anthracene	%	74		A135192
D8-Acenaphthylene	%	59		A135192
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C638602
Report Date: 2026/04/24

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BBSC12		
Sampling Date		2026/04/08		
COC Number		NA		
	UNITS	STN29164 08-APR-26 PUF #1	RDL	QC Batch
Benzo(a)pyrene	ng/m3	<0.32	0.32	A132115
RDL = Reportable Detection Limit				
QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C638602
Report Date: 2026/04/24

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C638602
Report Date: 2026/04/24

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC											
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits			
A135192	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/04/23		51	%	50 - 150			
			D10-Fluoranthene	2026/04/23		95	%	50 - 150			
			D10-Phenanthrene	2026/04/23		90	%	50 - 150			
			D12-Benzo(a)anthracene	2026/04/23		93	%	50 - 150			
			D12-Benzo(a)pyrene	2026/04/23		93	%	50 - 150			
			D12-Benzo(b)fluoranthene	2026/04/23		90	%	50 - 150			
			D12-Benzo(ghi)perylene	2026/04/23		92	%	50 - 150			
			D12-Chrysene	2026/04/23		91	%	50 - 150			
			D12-Indeno(1,2,3-cd)pyrene	2026/04/23		92	%	50 - 150			
			D12-Perylene	2026/04/23		89	%	50 - 150			
			D14-Dibenzo(a,h)anthracene	2026/04/23		79	%	50 - 150			
			D8-Acenaphthylene	2026/04/23		74	%	50 - 150			
			Benzo(a)pyrene	2026/04/23		87	%	50 - 150			
			A135192	MPQ	RPD	Benzo(a)pyrene	2026/04/23	5.2		%	50
			A135192	MPQ	Method Blank	D10-Fluoranthene	2026/04/23		87	%	50 - 150
D10-Phenanthrene	2026/04/23					85	%	50 - 150			
D12-Benzo(a)anthracene	2026/04/23					87	%	50 - 150			
D12-Benzo(a)pyrene	2026/04/23					85	%	50 - 150			
D12-Benzo(b)fluoranthene	2026/04/23					84	%	50 - 150			
D12-Benzo(ghi)perylene	2026/04/23					86	%	50 - 150			
D12-Chrysene	2026/04/23					85	%	50 - 150			
D12-Indeno(1,2,3-cd)pyrene	2026/04/23					85	%	50 - 150			
D12-Perylene	2026/04/23					84	%	50 - 150			
D14-Dibenzo(a,h)anthracene	2026/04/23					73	%	50 - 150			
D8-Acenaphthylene	2026/04/23					73	%	50 - 150			
			Benzo(a)pyrene	2026/04/23	<0.10		ug				

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C638602
Report Date: 2026/04/24

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 4500625271
 Site Location: RAIN CARBON CANADA INC.
 Your C.O.C. #: N/A

Attention: Robin Hart

Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/05/04
 Report #: R8734510
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C641384

Received: 2026/04/17, 17:30

Sample Matrix: Puf And Filter
 # Samples Received: 5

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	5	2026/04/20	2026/04/20	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	5	2026/04/23	2026/04/29	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	5	N/A	2026/04/20		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Naphthalene, 2-Methylnaphthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 4500625271
Site Location: RAIN CARBON CANADA INC.
Your C.O.C. #: N/A

Attention: Robin Hart
Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/05/04
Report #: R8734510
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C641384

Received: 2026/04/17, 17:30

Encryption Key

Julian Tong
Project Manager Assistant
04 May 2026 15:24:01

Please direct all questions regarding this Certificate of Analysis to:
Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BBXF61	BBXF62	BBXF63	BBXF64	
Sampling Date		2026/04/14	2026/04/14	2026/04/14	2026/04/14	
COC Number		N/A	N/A	N/A	N/A	
	UNITS	EAST MONITOR PAH APRIL 14, 2026 AZVR38-01	NORTH MONITOR PAH APRIL 14, 2026 AZVR39-01	OLD WEST MONITOR PAH APRIL 14, 2026 AZVR40-01	SOUTH MONITOR PAH APRIL 14, 2026 AZVR41-01	QC Batch
Volume	m3	309.7	305.9	307.7	304.8	ONSITE
QC Batch = Quality Control Batch						

Bureau Veritas ID		BBXF65	
Sampling Date		2026/04/14	
COC Number		N/A	
	UNITS	NEW WEST MONITOR PAH APRIL 14, 2026 AZVR42-01	QC Batch
Volume	m3	304.0	ONSITE
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C641384
Report Date: 2026/05/04

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBXF61	BBXF62	BBXF63	BBXF64		
Sampling Date		2026/04/14	2026/04/14	2026/04/14	2026/04/14		
COC Number		N/A	N/A	N/A	N/A		
	UNITS	EAST MONITOR PAH APRIL 14, 2026 AZVR38-01	NORTH MONITOR PAH APRIL 14, 2026 AZVR39-01	OLD WEST MONITOR PAH APRIL 14, 2026 AZVR40-01	SOUTH MONITOR PAH APRIL 14, 2026 AZVR41-01	RDL	QC Batch

Semivolatile Organics							
Benzo(a)pyrene	ug	0.31	<0.10	0.22	<0.10	0.10	A138645
Surrogate Recovery (%)							
D10-2-Methylnaphthalene	%	104	90	120	80		A138645
D10-Fluoranthene	%	122	94	136	92		A138645
D10-Phenanthrene	%	116	88	133	88		A138645
D12-Benzo(a)anthracene	%	98	91	97	100		A138645
D12-Benzo(a)pyrene	%	76	71	85	81		A138645
D12-Benzo(b)fluoranthene	%	103	100	95	107		A138645
D12-Benzo(ghi)perylene	%	91	84	88	89		A138645
D12-Benzo(k)fluoranthene	%	130	127	120	135		A138645
D12-Chrysene	%	91	87	93	93		A138645
D12-Indeno(1,2,3-cd)pyrene	%	91	88	88	89		A138645
D12-Perylene	%	81	73	84	83		A138645
D14-Dibenzo(a,h)anthracene	%	83	76	82	81		A138645
D8-Acenaphthylene	%	97	69	139	79		A138645
D8-Naphthalene	%	104	82	122	82		A138645

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch



BUREAU
VERITAS

Bureau Veritas Job #: C641384
Report Date: 2026/05/04

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBXF65		
Sampling Date		2026/04/14		
COC Number		N/A		
	UNITS	NEW WEST MONITOR PAH APRIL 14, 2026 AZVR42-01	RDL	QC Batch
Semivolatile Organics				
Benzo(a)pyrene	ug	0.14	0.10	A138645
Surrogate Recovery (%)				
D10-2-Methylnaphthalene	%	112		A138645
D10-Fluoranthene	%	132		A138645
D10-Phenanthrene	%	125		A138645
D12-Benzo(a)anthracene	%	98		A138645
D12-Benzo(a)pyrene	%	82		A138645
D12-Benzo(b)fluoranthene	%	107		A138645
D12-Benzo(ghi)perylene	%	90		A138645
D12-Benzo(k)fluoranthene	%	135		A138645
D12-Chrysene	%	92		A138645
D12-Indeno(1,2,3-cd)pyrene	%	90		A138645
D12-Perylene	%	84		A138645
D14-Dibenzo(a,h)anthracene	%	81		A138645
D8-Acenaphthylene	%	109		A138645
D8-Naphthalene	%	109		A138645
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C641384
Report Date: 2026/05/04

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BBXF61		BBXF62	BBXF63		
Sampling Date		2026/04/14		2026/04/14	2026/04/14		
COC Number		N/A		N/A	N/A		
	UNITS	EAST MONITOR PAH APRIL 14, 2026 AZVR38-01	RDL	NORTH MONITOR PAH APRIL 14, 2026 AZVR39-01	OLD WEST MONITOR PAH APRIL 14, 2026 AZVR40-01	RDL	QC Batch

Calculated Parameters							
Benzo(a)pyrene	ug/m3	0.00101	0.00032	<0.00033	0.00071	0.00033	A135949
RDL = Reportable Detection Limit							
QC Batch = Quality Control Batch							

Bureau Veritas ID		BBXF64		BBXF65		
Sampling Date		2026/04/14		2026/04/14		
COC Number		N/A		N/A		
	UNITS	SOUTH MONITOR PAH APRIL 14, 2026 AZVR41-01		NEW WEST MONITOR PAH APRIL 14, 2026 AZVR42-01	RDL	QC Batch

Calculated Parameters						
Benzo(a)pyrene	ug/m3	<0.00033		0.00045	0.00033	A135949
RDL = Reportable Detection Limit						
QC Batch = Quality Control Batch						



**BUREAU
VERITAS**

Bureau Veritas Job #: C641384
Report Date: 2026/05/04

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C641384
Report Date: 2026/05/04

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits		
A138645	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/04/29		90	%	50 - 150			
			D10-Fluoranthene	2026/04/29		93	%	50 - 150			
			D10-Phenanthrene	2026/04/29		85	%	50 - 150			
			D12-Benzo(a)anthracene	2026/04/29		90	%	50 - 150			
			D12-Benzo(a)pyrene	2026/04/29		90	%	50 - 150			
			D12-Benzo(b)fluoranthene	2026/04/29		82	%	50 - 150			
			D12-Benzo(ghi)perylene	2026/04/29		94	%	50 - 150			
			D12-Benzo(k)fluoranthene	2026/04/29		107	%	50 - 150			
			D12-Chrysene	2026/04/29		87	%	50 - 150			
			D12-Indeno(1,2,3-cd)pyrene	2026/04/29		91	%	50 - 150			
			D12-Perylene	2026/04/29		94	%	50 - 150			
			D14-Dibenzo(a,h)anthracene	2026/04/29		78	%	50 - 150			
			D8-Acenaphthylene	2026/04/29		80	%	50 - 150			
			D8-Naphthalene	2026/04/29		83	%	50 - 150			
			Benzo(a)pyrene	2026/04/29		86	%	50 - 150			
			A138645	MPQ	RPD	Benzo(a)pyrene	2026/04/29	4.0		%	50
			A138645	MPQ	Method Blank	D10-2-Methylnaphthalene	2026/04/29		82	%	50 - 150
D10-Fluoranthene	2026/04/29					94	%	50 - 150			
D10-Phenanthrene	2026/04/29					88	%	50 - 150			
D12-Benzo(a)anthracene	2026/04/29					94	%	50 - 150			
D12-Benzo(a)pyrene	2026/04/29					93	%	50 - 150			
D12-Benzo(b)fluoranthene	2026/04/29					84	%	50 - 150			
D12-Benzo(ghi)perylene	2026/04/29					94	%	50 - 150			
D12-Benzo(k)fluoranthene	2026/04/29					108	%	50 - 150			
D12-Chrysene	2026/04/29					89	%	50 - 150			
D12-Indeno(1,2,3-cd)pyrene	2026/04/29					92	%	50 - 150			
D12-Perylene	2026/04/29					102	%	50 - 150			
D14-Dibenzo(a,h)anthracene	2026/04/29					79	%	50 - 150			
D8-Acenaphthylene	2026/04/29					83	%	50 - 150			
D8-Naphthalene	2026/04/29					83	%	50 - 150			
			Benzo(a)pyrene	2026/04/29	<0.10		ug				

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C641384
Report Date: 2026/05/04

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 32669
 Site Location: RAIN CARBON CANADA INC
 Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
 15 Keefer Court
 Hamilton, ON
 CANADA L8E 4V4

Report Date: 2026/05/04
 Report #: R8734511
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C642672

Received: 2026/04/22, 10:45

Sample Matrix: Puf And Filter
 # Samples Received: 1

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	1	2026/04/22	2026/05/01	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	1	2026/04/23	2026/04/29	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	1	N/A	2026/04/22		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Napthalene, 2-Methylnapthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 32669
Site Location: RAIN CARBON CANADA INC
Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/05/04
Report #: R8734511
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C642672

Received: 2026/04/22, 10:45

Encryption Key



Bureau Veritas
04 May 2026 14:08:26

Please direct all questions regarding this Certificate of Analysis to:
Cristina (Maria) Bacchus, Project Manager
Email: maria.bacchus@bureauveritas.com
Phone# (905)817-5763

=====
This report has been generated and distributed using a secure automated process.
Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.
For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor
validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible
for Ontario Environmental laboratory operations.



**BUREAU
VERITAS**

Bureau Veritas Job #: C642672
Report Date: 2026/05/04

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BBZT28	
Sampling Date		2026/04/14	
COC Number		NA	
	UNITS	STN29164 14-APR-26 PUF#1 BAPQ68-01	QC Batch
Volume	m3	309.2	ONSITE
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C642672
Report Date: 2026/05/04

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BBZT28		
Sampling Date		2026/04/14		
COC Number		NA		
	UNITS	STN29164 14-APR-26 PUF#1 BAPQ68-01	RDL	QC Batch
Benzo(a)pyrene	ug	<0.10	0.10	A138645
Surrogate Recovery (%)				
D10-2-Methylnaphthalene	%	74		A138645
D10-Fluoranthene	%	86		A138645
D10-Phenanthrene	%	81		A138645
D12-Benzo(a)anthracene	%	88		A138645
D12-Benzo(a)pyrene	%	74		A138645
D12-Benzo(b)fluoranthene	%	97		A138645
D12-Benzo(ghi)perylene	%	83		A138645
D12-Benzo(k)fluoranthene	%	122		A138645
D12-Chrysene	%	82		A138645
D12-Indeno(1,2,3-cd)pyrene	%	85		A138645
D12-Perylene	%	75		A138645
D14-Dibenzo(a,h)anthracene	%	73		A138645
D8-Acenaphthylene	%	80		A138645
D8-Naphthalene	%	70		A138645
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C642672
Report Date: 2026/05/04

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BBZT28		
Sampling Date		2026/04/14		
COC Number		NA		
	UNITS	STN29164 14-APR-26 PUF#1 BAPQ68-01	RDL	QC Batch
Benzo(a)pyrene	ng/m3	<0.32	0.32	A137791
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C642672
Report Date: 2026/05/04

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C642672
Report Date: 2026/05/04

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC									
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits	
A138645	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/04/29		90	%	50 - 150	
			D10-Fluoranthene	2026/04/29		93	%	50 - 150	
			D10-Phenanthrene	2026/04/29		85	%	50 - 150	
			D12-Benzo(a)anthracene	2026/04/29		90	%	50 - 150	
			D12-Benzo(a)pyrene	2026/04/29		90	%	50 - 150	
			D12-Benzo(b)fluoranthene	2026/04/29		82	%	50 - 150	
			D12-Benzo(ghi)perylene	2026/04/29		94	%	50 - 150	
			D12-Benzo(k)fluoranthene	2026/04/29		107	%	50 - 150	
			D12-Chrysene	2026/04/29		87	%	50 - 150	
			D12-Indeno(1,2,3-cd)pyrene	2026/04/29		91	%	50 - 150	
			D12-Perylene	2026/04/29		94	%	50 - 150	
			D14-Dibenzo(a,h)anthracene	2026/04/29		78	%	50 - 150	
			D8-Acenaphthylene	2026/04/29		80	%	50 - 150	
			D8-Naphthalene	2026/04/29		83	%	50 - 150	
			Benzo(a)pyrene	2026/04/29		86	%	50 - 150	
			A138645	MPQ	RPD	Benzo(a)pyrene	2026/04/29	4.0	
A138645	MPQ	Method Blank	D10-2-Methylnaphthalene	2026/04/29		82	%	50 - 150	
			D10-Fluoranthene	2026/04/29		94	%	50 - 150	
			D10-Phenanthrene	2026/04/29		88	%	50 - 150	
			D12-Benzo(a)anthracene	2026/04/29		94	%	50 - 150	
			D12-Benzo(a)pyrene	2026/04/29		93	%	50 - 150	
			D12-Benzo(b)fluoranthene	2026/04/29		84	%	50 - 150	
			D12-Benzo(ghi)perylene	2026/04/29		94	%	50 - 150	
			D12-Benzo(k)fluoranthene	2026/04/29		108	%	50 - 150	
			D12-Chrysene	2026/04/29		89	%	50 - 150	
			D12-Indeno(1,2,3-cd)pyrene	2026/04/29		92	%	50 - 150	
			D12-Perylene	2026/04/29		102	%	50 - 150	
			D14-Dibenzo(a,h)anthracene	2026/04/29		79	%	50 - 150	
			D8-Acenaphthylene	2026/04/29		83	%	50 - 150	
			D8-Naphthalene	2026/04/29		83	%	50 - 150	
			Benzo(a)pyrene	2026/04/29		<0.10		ug	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C642672
Report Date: 2026/05/04

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Maharshi Prajapati, Bottle Preparation Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 4500625271
 Your Project #: RAIN CARBON CANADA INC.
 Your C.O.C. #: NA

Attention: Robin Hart
 Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/04/30
 Report #: R8732763
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C641436

Received: 2026/04/20, 08:30

Sample Matrix: Air
 # Samples Received: 5

Analyses	Date		Laboratory Method	Analytical Method
	Quantity Extracted	Date Analyzed		
Canister Pressure (TO-15)	5	N/A	2026/04/21 BRL SOP-00304	EPA TO-15 m
Volatile Organics in Air (TO-15) (1)	5	N/A	2026/04/21 BRL SOP-00304	EPA TO-15 m

Remarks:
 Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested. This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.
 (1) Air sampling canisters have been cleaned in accordance with U.S. EPA Method TO15. At the end of the cleaning, evacuation, and pressurization cycles, one canister was selected and was pressurized with Zero Air. This canister was then analyzed via TO15 on a GC/MS. The canister must have been found to contain <0.2 ppbv concentration of all target analytes in order for the batch to have been considered clean. Each canister also underwent a leak check prior to shipment.

Please Note: SUMMA® canister samples will be retained by Bureau Veritas for a period of 5 calendar days or as contractually agreed from the date of this report, after which time they will be cleaned for reuse. If you require a longer sample storage period, please contact your service representative.



Your P.O. #: 4500625271
Your Project #: RAIN CARBON CANADA INC.
Your C.O.C. #: NA

Attention: Robin Hart

Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/04/30
Report #: R8732763
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C641436

Received: 2026/04/20, 08:30

Encryption Key

Julian Tong
Project Manager Assistant
30 Apr 2026 13:25:12

Please direct all questions regarding this Certificate of Analysis to:
Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



BUREAU
VERITAS

Bureau Veritas Job #: C641436
Report Date: 2026/04/30

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

RESULTS OF ANALYSES OF AIR

Bureau Veritas ID		BBXJ40	BBXJ41	BBXJ42	BBXJ43	
Sampling Date		2026/04/14	2026/04/14	2026/04/14	2026/04/14	
COC Number		NA	NA	NA	NA	
	UNITS	EAST CANISTER VOC APRIL 14,2026/14552	NORTH CANISTER VOC APRIL 14,2026/14913	OLD WEST CANISTER VOC APRIL 14,2026/7802	SOUTH CANISTER VOC APRIL 14,2026/7793	QC Batch

Volatile Organics						
Pressure on Receipt	psig	(-2.3)	(-4.8)	(-3.9)	(-6.4)	A137396
QC Batch = Quality Control Batch						

Bureau Veritas ID		BBXJ44	
Sampling Date		2026/04/14	
COC Number		NA	
	UNITS	NEW WEST CANISTER VOC APRIL 14,2026/14518	QC Batch
Volatile Organics			
Pressure on Receipt	psig	(-3.9)	A137396
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C641436
Report Date: 2026/04/30

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BBXJ40			BBXJ41				
Sampling Date		2026/04/14			2026/04/14				
COC Number		NA			NA				
	UNITS	EAST CANISTER VOC APRIL 14,2026/14552	ug/m3	DL (ug/m3)	NORTH CANISTER VOC APRIL 14,2026/14913	RDL	ug/m3	DL (ug/m3)	QC Batch

Volatile Organics									
Benzene	ppbv	3.97	12.7	0.319	0.56	0.10	1.78	0.319	A136483
Surrogate Recovery (%)									
Bromochloromethane	%	98	N/A	N/A	90		N/A	N/A	A136483
D5-Chlorobenzene	%	92	N/A	N/A	83		N/A	N/A	A136483
Difluorobenzene	%	98	N/A	N/A	88		N/A	N/A	A136483
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable									

Bureau Veritas ID		BBXJ42			BBXJ42				
Sampling Date		2026/04/14			2026/04/14				
COC Number		NA			NA				
	UNITS	OLD WEST CANISTER VOC APRIL 14,2026/7802	ug/m3	DL (ug/m3)	OLD WEST CANISTER VOC APRIL 14,2026/7802 Lab-Dup	RDL	ug/m3	DL (ug/m3)	QC Batch

Volatile Organics									
Benzene	ppbv	2.19	6.99	0.319	2.37	0.10	7.58	0.319	A136483
Surrogate Recovery (%)									
Bromochloromethane	%	97	N/A	N/A	88		N/A	N/A	A136483
D5-Chlorobenzene	%	87	N/A	N/A	82		N/A	N/A	A136483
Difluorobenzene	%	94	N/A	N/A	86		N/A	N/A	A136483
RDL = Reportable Detection Limit QC Batch = Quality Control Batch Lab-Dup = Laboratory Initiated Duplicate N/A = Not Applicable									



VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BBXJ43				BBXJ44				
Sampling Date		2026/04/14				2026/04/14				
COC Number		NA				NA				
	UNITS	SOUTH CANISTER VOC APRIL 14,2026/7793	RDL	ug/m3	DL (ug/m3)	NEW WEST CANISTER VOC APRIL 14,2026/14518	RDL	ug/m3	DL (ug/m3)	QC Batch
Volatile Organics										
Benzene	ppbv	6.88	0.18	22.0	0.575	0.46	0.10	1.48	0.319	A136483
Surrogate Recovery (%)										
Bromochloromethane	%	90		N/A	N/A	90		N/A	N/A	A136483
D5-Chlorobenzene	%	85		N/A	N/A	80		N/A	N/A	A136483
Difluorobenzene	%	89		N/A	N/A	87		N/A	N/A	A136483
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable										



**BUREAU
VERITAS**

Bureau Veritas Job #: C641436
Report Date: 2026/04/30

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

GENERAL COMMENTS

Sample BBXJ43 [SOUTH CANISTER VOC APRIL 14,2026/7793] : Sample was pressurized due to high vacuum in can. The DL's were adjusted accordingly.

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C641436
Report Date: 2026/04/30

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
A136483	TIM	Spiked Blank	Bromochloromethane	2026/04/21		108	%	60 - 140
			D5-Chlorobenzene	2026/04/21		102	%	60 - 140
			Difluorobenzene	2026/04/21		108	%	60 - 140
			Benzene	2026/04/21		92	%	70 - 130
A136483	TIM	Method Blank	Bromochloromethane	2026/04/21		103	%	60 - 140
			D5-Chlorobenzene	2026/04/21		94	%	60 - 140
			Difluorobenzene	2026/04/21		105	%	60 - 140
			Benzene	2026/04/21	<0.10		ppbv	
A136483	TIM	RPD [BBXJ42-01]	Benzene	2026/04/21	8.0		%	25

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



**BUREAU
VERITAS**

Bureau Veritas Job #: C641436
Report Date: 2026/04/30

Rain Carbon Canada Inc.
Client Project #: RAIN CARBON CANADA INC.
Your P.O. #: 4500625271
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in cursive script that reads 'Melanie Mabini'.

Melanie Mabini, Team Leader

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 32669
 Site Location: RAIN CARBON CANADA INC
 Your C.O.C. #: na

Attention: Ruetgers list

Rotek Environmental Inc.
 15 Keefer Court
 Hamilton, ON
 CANADA L8E 4V4

Report Date: 2026/05/05
 Report #: R8735017
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C642748

Received: 2026/04/22, 10:44

Sample Matrix: Air
 # Samples Received: 1

Analyses	Date		Laboratory Method	Analytical Method
	Quantity Extracted	Analyzed		
Canister Pressure (TO-15)	1	N/A	2026/04/24 BRL SOP-00304	EPA TO-15 m
Volatile Organics in Air (TO-15) (1)	1	N/A	2026/04/24 BRL SOP-00304	EPA TO-15 m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Air sampling canisters have been cleaned in accordance with U.S. EPA Method TO15. At the end of the cleaning, evacuation, and pressurization cycles, one canister was selected and was pressurized with Zero Air. This canister was then analyzed via TO15 on a GC/MS. The canister must have been found to contain <0.2 ppbv concentration of all target analytes in order for the batch to have been considered clean. Each canister also underwent a leak check prior to shipment.

Please Note: SUMMA® canister samples will be retained by Bureau Veritas for a period of 5 calendar days or as contractually agreed from the date of this report, after which time they will be cleaned for reuse. If you require a longer sample storage period, please contact your service representative.



Your P.O. #: 32669
Site Location: RAIN CARBON CANADA INC
Your C.O.C. #: na

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/05/05
Report #: R8735017
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C642748

Received: 2026/04/22, 10:44

Encryption Key



Bureau Veritas
05 May 2026 09:19:26

Please direct all questions regarding this Certificate of Analysis to:
Cristina (Maria) Bacchus, Project Manager
Email: maria.bacchus@bureauveritas.com
Phone# (905)817-5763

=====
This report has been generated and distributed using a secure automated process.
Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.
For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



**BUREAU
VERITAS**

Bureau Veritas Job #: C642748
Report Date: 2026/05/05

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

RESULTS OF ANALYSES OF AIR

Bureau Veritas ID		BBZX75	
Sampling Date		2026/04/14	
COC Number		na	
	UNITS	STN29164 14-APR- 26/17202	QC Batch
Pressure on Receipt	psig	(-2.9)	A140196
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C642748
Report Date: 2026/05/05

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BBZX75				
Sampling Date		2026/04/14				
COC Number		na				
	UNITS	STN29164 14-APR-26/17202	RDL	ug/m3	DL (ug/m3)	QC Batch
Benzene	ppbv	0.24	0.10	0.779	0.319	A139107
Surrogate Recovery (%)						
Bromochloromethane	%	87		N/A	N/A	A139107
D5-Chlorobenzene	%	81		N/A	N/A	A139107
Difluorobenzene	%	85		N/A	N/A	A139107
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable						



**BUREAU
VERITAS**

Bureau Veritas Job #: C642748
Report Date: 2026/05/05

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C642748
Report Date: 2026/05/05

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC								
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
A139107	TIM	Spiked Blank	Bromochloromethane	2026/04/24		108	%	60 - 140
			D5-Chlorobenzene	2026/04/24		102	%	60 - 140
			Difluorobenzene	2026/04/24		108	%	60 - 140
			Benzene	2026/04/24		96	%	70 - 130
A139107	TIM	Method Blank	Bromochloromethane	2026/04/24		102	%	60 - 140
			D5-Chlorobenzene	2026/04/24		88	%	60 - 140
			Difluorobenzene	2026/04/24		103	%	60 - 140
			Benzene	2026/04/24	<0.10		ppbv	

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C642748
Report Date: 2026/05/05

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in cursive script that reads 'Melanie Mabini'.

Melanie Mabini, Team Leader

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 4500646153
 Site Location: RAIN CARBON CANADA INC.
 Your C.O.C. #: N/A

Attention: Robin Hart

Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/05/06
 Report #: R8736323
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C644660

Received: 2026/04/22, 17:00

Sample Matrix: Puf And Filter
 # Samples Received: 5

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	5	2026/04/27	2026/04/27	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	4	2026/05/02	2026/05/05	BRL SOP-00201	CARB429(ARBM1,M2)mod
PAH's in MM5 SamplingTrains (CARB429mod) (1)	1	2026/05/02	2026/05/06	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	5	N/A	2026/04/27		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Naphthalene, 2-Methylnaphthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 4500646153
Site Location: RAIN CARBON CANADA INC.
Your C.O.C. #: N/A

Attention: Robin Hart
Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/05/06
Report #: R8736323
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C644660

Received: 2026/04/22, 17:00

Encryption Key

Julian Tong
Project Manager Assistant
06 May 2026 17:10:02

Please direct all questions regarding this Certificate of Analysis to:
Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



**BUREAU
VERITAS**

Bureau Veritas Job #: C644660
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BCDR51	BCDR52	BCDR53	BCDR54	
Sampling Date		2026/04/20	2026/04/20	2026/04/20	2026/04/20	
COC Number		N/A	N/A	N/A	N/A	
	UNITS	EAST MONITOR PAH APRIL 20, 2026 BBAD79-01	NORTH MONITOR PAH APRIL 20, 2026 BBAD80-01	OLD WEST MONITOR PAH APRIL 20, 2026 BBAD81-01	SOUTH MONITOR PAH APRIL 20, 2026 BBAD82-01	QC Batch
Volume	m3	297.9	314.4	303.8	301.5	ONSITE
QC Batch = Quality Control Batch						

Bureau Veritas ID		BCDR55	
Sampling Date		2026/04/20	
COC Number		N/A	
	UNITS	NEW WEST MONITOR PAH APRIL 20, 2026 BBAD83-01	QC Batch
Volume	m3	316.6	ONSITE
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C644660
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BCDR51	BCDR52	BCDR53	BCDR54		
Sampling Date		2026/04/20	2026/04/20	2026/04/20	2026/04/20		
COC Number		N/A	N/A	N/A	N/A		
	UNITS	EAST MONITOR PAH APRIL 20, 2026 BBAD79-01	NORTH MONITOR PAH APRIL 20, 2026 BBAD80-01	OLD WEST MONITOR PAH APRIL 20, 2026 BBAD81-01	SOUTH MONITOR PAH APRIL 20, 2026 BBAD82-01	RDL	QC Batch

Semivolatile Organics							
Benzo(a)pyrene	ug	0.46	0.23	<0.10	<0.10	0.10	A144345
Surrogate Recovery (%)							
D10-2-Methylnaphthalene	%	80	76	75	80		A144345
D10-Fluoranthene	%	96	93	100	95		A144345
D10-Phenanthrene	%	90	90	95	91		A144345
D12-Benzo(a)anthracene	%	77	74	91	72		A144345
D12-Benzo(a)pyrene	%	95	90	89	86		A144345
D12-Benzo(b)fluoranthene	%	93	97	87	95		A144345
D12-Benzo(ghi)perylene	%	104	97	96	95		A144345
D12-Benzo(k)fluoranthene	%	91	95	85	93		A144345
D12-Chrysene	%	96	92	92	89		A144345
D12-Indeno(1,2,3-cd)pyrene	%	106	100	97	96		A144345
D12-Perylene	%	93	89	89	85		A144345
D14-Dibenzo(a,h)anthracene	%	97	92	90	88		A144345
D8-Acenaphthylene	%	79	77	79	84		A144345
D8-Naphthalene	%	82	76	71	80		A144345

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch



BUREAU
VERITAS

Bureau Veritas Job #: C644660
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BCDR55		
Sampling Date		2026/04/20		
COC Number		N/A		
	UNITS	NEW WEST MONITOR PAH APRIL 20, 2026 BBAD83-01	RDL	QC Batch
Semivolatile Organics				
Benzo(a)pyrene	ug	<0.10	0.10	A144345
Surrogate Recovery (%)				
D10-2-Methylnaphthalene	%	75		A144345
D10-Fluoranthene	%	95		A144345
D10-Phenanthrene	%	89		A144345
D12-Benzo(a)anthracene	%	70		A144345
D12-Benzo(a)pyrene	%	88		A144345
D12-Benzo(b)fluoranthene	%	93		A144345
D12-Benzo(ghi)perylene	%	93		A144345
D12-Benzo(k)fluoranthene	%	92		A144345
D12-Chrysene	%	87		A144345
D12-Indeno(1,2,3-cd)pyrene	%	96		A144345
D12-Perylene	%	87		A144345
D14-Dibenzo(a,h)anthracene	%	87		A144345
D8-Acenaphthylene	%	75		A144345
D8-Naphthalene	%	73		A144345
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



BUREAU
VERITAS

Bureau Veritas Job #: C644660
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BCDR51		BCDR52		BCDR53		
Sampling Date		2026/04/20		2026/04/20		2026/04/20		
COC Number		N/A		N/A		N/A		
	UNITS	EAST MONITOR PAH APRIL 20, 2026 BBAD79-01	RDL	NORTH MONITOR PAH APRIL 20, 2026 BBAD80-01	RDL	OLD WEST MONITOR PAH APRIL 20, 2026 BBAD81-01	RDL	QC Batch

Calculated Parameters								
Benzo(a)pyrene	ug/m3	0.00155	0.00034	0.00072	0.00032	<0.00033	0.00033	A140426
RDL = Reportable Detection Limit								
QC Batch = Quality Control Batch								

Bureau Veritas ID		BCDR54		BCDR55		
Sampling Date		2026/04/20		2026/04/20		
COC Number		N/A		N/A		
	UNITS	SOUTH MONITOR PAH APRIL 20, 2026 BBAD82-01	RDL	NEW WEST MONITOR PAH APRIL 20, 2026 BBAD83-01	RDL	QC Batch

Calculated Parameters						
Benzo(a)pyrene	ug/m3	<0.00033	0.00033	<0.00032	0.00032	A140426
RDL = Reportable Detection Limit						
QC Batch = Quality Control Batch						



BUREAU
VERITAS

Bureau Veritas Job #: C644660
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C644660
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits		
A144345	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/05/05		80	%	50 - 150			
			D10-Fluoranthene	2026/05/05		102	%	50 - 150			
			D10-Phenanthrene	2026/05/05		92	%	50 - 150			
			D12-Benzo(a)anthracene	2026/05/05		93	%	50 - 150			
			D12-Benzo(a)pyrene	2026/05/05		100	%	50 - 150			
			D12-Benzo(b)fluoranthene	2026/05/05		102	%	50 - 150			
			D12-Benzo(ghi)perylene	2026/05/05		102	%	50 - 150			
			D12-Benzo(k)fluoranthene	2026/05/05		91	%	50 - 150			
			D12-Chrysene	2026/05/05		96	%	50 - 150			
			D12-Indeno(1,2,3-cd)pyrene	2026/05/05		105	%	50 - 150			
			D12-Perylene	2026/05/05		94	%	50 - 150			
			D14-Dibenzo(a,h)anthracene	2026/05/05		95	%	50 - 150			
			D8-Acenaphthylene	2026/05/05		81	%	50 - 150			
			D8-Naphthalene	2026/05/05		78	%	50 - 150			
			Benzo(a)pyrene	2026/05/05		89	%	50 - 150			
			A144345	MPQ	RPD	Benzo(a)pyrene	2026/05/05	2.4		%	50
			A144345	MPQ	Method Blank	D10-2-Methylnaphthalene	2026/05/05		79	%	50 - 150
D10-Fluoranthene	2026/05/05					98	%	50 - 150			
D10-Phenanthrene	2026/05/05					90	%	50 - 150			
D12-Benzo(a)anthracene	2026/05/05					87	%	50 - 150			
D12-Benzo(a)pyrene	2026/05/05					94	%	50 - 150			
D12-Benzo(b)fluoranthene	2026/05/05					98	%	50 - 150			
D12-Benzo(ghi)perylene	2026/05/05					96	%	50 - 150			
D12-Benzo(k)fluoranthene	2026/05/05					85	%	50 - 150			
D12-Chrysene	2026/05/05					89	%	50 - 150			
D12-Indeno(1,2,3-cd)pyrene	2026/05/05					98	%	50 - 150			
D12-Perylene	2026/05/05					90	%	50 - 150			
D14-Dibenzo(a,h)anthracene	2026/05/05					88	%	50 - 150			
D8-Acenaphthylene	2026/05/05					81	%	50 - 150			
D8-Naphthalene	2026/05/05		77	%	50 - 150						
			Benzo(a)pyrene	2026/05/05	<0.10		ug				

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C644660
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 32669
 Site Location: RAIN CARBON CANADA INC
 Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
 15 Keefer Court
 Hamilton, ON
 CANADA L8E 4V4

Report Date: 2026/05/06
 Report #: R8736327
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C646136

Received: 2026/04/29, 10:17

Sample Matrix: Puf And Filter
 # Samples Received: 1

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	1	2026/04/29	2026/04/29	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	1	2026/05/02	2026/05/06	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	1	N/A	2026/04/29		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Naphthalene, 2-Methylnaphthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 32669
Site Location: RAIN CARBON CANADA INC
Your C.O.C. #: NA

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/05/06
Report #: R8736327
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C646136

Received: 2026/04/29, 10:17

Encryption Key



Bureau Veritas
06 May 2026 17:06:01

Please direct all questions regarding this Certificate of Analysis to:
Cristina (Maria) Bacchus, Project Manager
Email: maria.bacchus@bureauveritas.com
Phone# (905)817-5763

=====
This report has been generated and distributed using a secure automated process.
Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.
For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



**BUREAU
VERITAS**

Bureau Veritas Job #: C646136
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BCGJ54	
Sampling Date		2026/04/20	
COC Number		NA	
	UNITS	STN29164 20-APR-26 PUF#1 BAQP68-01	QC Batch
Volume	m3	316.2	ONSITE
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C646136
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BCGJ54		
Sampling Date		2026/04/20		
COC Number		NA		
	UNITS	STN29164 20-APR-26 PUF#1 BAQP68-01	RDL	QC Batch
Benzo(a)pyrene	ug	<0.10	0.10	A144345
Surrogate Recovery (%)				
D10-2-Methylnaphthalene	%	70		A144345
D10-Fluoranthene	%	99		A144345
D10-Phenanthrene	%	90		A144345
D12-Benzo(a)anthracene	%	72		A144345
D12-Benzo(a)pyrene	%	90		A144345
D12-Benzo(b)fluoranthene	%	93		A144345
D12-Benzo(ghi)perylene	%	94		A144345
D12-Benzo(k)fluoranthene	%	91		A144345
D12-Chrysene	%	89		A144345
D12-Indeno(1,2,3-cd)pyrene	%	96		A144345
D12-Perylene	%	89		A144345
D14-Dibenzo(a,h)anthracene	%	86		A144345
D8-Acenaphthylene	%	73		A144345
D8-Naphthalene	%	66		A144345
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C646136
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BCGJ54		
Sampling Date		2026/04/20		
COC Number		NA		
	UNITS	STN29164 20-APR-26 PUF#1 BAQP68-01	RDL	QC Batch
Benzo(a)pyrene	ng/m3	<0.32	0.32	A142452
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C646136
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C646136
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits		
A144345	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/05/05		80	%	50 - 150			
			D10-Fluoranthene	2026/05/05		102	%	50 - 150			
			D10-Phenanthrene	2026/05/05		92	%	50 - 150			
			D12-Benzo(a)anthracene	2026/05/05		93	%	50 - 150			
			D12-Benzo(a)pyrene	2026/05/05		100	%	50 - 150			
			D12-Benzo(b)fluoranthene	2026/05/05		102	%	50 - 150			
			D12-Benzo(ghi)perylene	2026/05/05		102	%	50 - 150			
			D12-Benzo(k)fluoranthene	2026/05/05		91	%	50 - 150			
			D12-Chrysene	2026/05/05		96	%	50 - 150			
			D12-Indeno(1,2,3-cd)pyrene	2026/05/05		105	%	50 - 150			
			D12-Perylene	2026/05/05		94	%	50 - 150			
			D14-Dibenzo(a,h)anthracene	2026/05/05		95	%	50 - 150			
			D8-Acenaphthylene	2026/05/05		81	%	50 - 150			
			D8-Naphthalene	2026/05/05		78	%	50 - 150			
			Benzo(a)pyrene	2026/05/05		89	%	50 - 150			
			A144345	MPQ	RPD	Benzo(a)pyrene	2026/05/05	2.4		%	50
			A144345	MPQ	Method Blank	D10-2-Methylnaphthalene	2026/05/05		79	%	50 - 150
D10-Fluoranthene	2026/05/05					98	%	50 - 150			
D10-Phenanthrene	2026/05/05					90	%	50 - 150			
D12-Benzo(a)anthracene	2026/05/05					87	%	50 - 150			
D12-Benzo(a)pyrene	2026/05/05					94	%	50 - 150			
D12-Benzo(b)fluoranthene	2026/05/05					98	%	50 - 150			
D12-Benzo(ghi)perylene	2026/05/05					96	%	50 - 150			
D12-Benzo(k)fluoranthene	2026/05/05					85	%	50 - 150			
D12-Chrysene	2026/05/05					89	%	50 - 150			
D12-Indeno(1,2,3-cd)pyrene	2026/05/05					98	%	50 - 150			
D12-Perylene	2026/05/05					90	%	50 - 150			
D14-Dibenzo(a,h)anthracene	2026/05/05					88	%	50 - 150			
D8-Acenaphthylene	2026/05/05					81	%	50 - 150			
D8-Naphthalene	2026/05/05		77	%	50 - 150						
			Benzo(a)pyrene	2026/05/05	<0.10		ug				

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C646136
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 4500646153
 Site Location: RAIN CARBON CANADA INC.
 Your C.O.C. #: N/A

Attention: Robin Hart

Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/05/06
 Report #: R8736332
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C646638

Received: 2026/04/28, 16:16

Sample Matrix: Puf And Filter
 # Samples Received: 5

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	5	2026/04/30	2026/05/06	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	5	2026/05/02	2026/05/06	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	5	N/A	2026/04/30		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Naphthalene, 2-Methylnaphthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 4500646153
Site Location: RAIN CARBON CANADA INC.
Your C.O.C. #: N/A

Attention: Robin Hart
Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/05/06
Report #: R8736332
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C646638

Received: 2026/04/28, 16:16

Encryption Key

Julian Tong
Project Manager Assistant
06 May 2026 17:11:07

Please direct all questions regarding this Certificate of Analysis to:
Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BCHE26	BCHE27	BCHE28	BCHE29	
Sampling Date		2026/04/26	2026/04/26	2026/04/26	2026/04/26	
COC Number		N/A	N/A	N/A	N/A	
	UNITS	EAST MONITOR PAH APRIL 26, 2026 BBAH54-01	NORTH MONITOR PAH APRIL 26, 2026 BBAH55-01	OLD WEST MONITOR PAH APRIL 26, 2026 BBAH56-01	SOUTH MONITOR PAH APRIL 26, 2026 BBAH57-01	QC Batch
Volume	m3	314.9	314.2	301.6	298.7	ONSITE
QC Batch = Quality Control Batch						

Bureau Veritas ID		BCHE32	
Sampling Date		2026/04/26	
COC Number		N/A	
	UNITS	NEW WEST MONITOR PAH APRIL 26, 2026 BBAH58-01	QC Batch
Volume	m3	301.2	ONSITE
QC Batch = Quality Control Batch			



**BUREAU
VERITAS**

Bureau Veritas Job #: C646638
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BCHE26	BCHE27	BCHE28	BCHE29		
Sampling Date		2026/04/26	2026/04/26	2026/04/26	2026/04/26		
COC Number		N/A	N/A	N/A	N/A		
	UNITS	EAST MONITOR PAH APRIL 26, 2026 BBAH54-01	NORTH MONITOR PAH APRIL 26, 2026 BBAH55-01	OLD WEST MONITOR PAH APRIL 26. 2026 BBAH56-01	SOUTH MONITOR PAH APRIL 26, 2026 BBAH57-01	RDL	QC Batch

Semivolatile Organics							
Benzo(a)pyrene	ug	0.18	<0.10	0.73	0.13	0.10	A144345
Surrogate Recovery (%)							
D10-2-Methylnaphthalene	%	71	72	63	85		A144345
D10-Fluoranthene	%	96	92	67	97		A144345
D10-Phenanthrene	%	90	87	67	94		A144345
D12-Benzo(a)anthracene	%	72	70	98	74		A144345
D12-Benzo(a)pyrene	%	87	87	95	91		A144345
D12-Benzo(b)fluoranthene	%	93	91	101	97		A144345
D12-Benzo(ghi)perylene	%	95	91	100	96		A144345
D12-Benzo(k)fluoranthene	%	91	89	99	95		A144345
D12-Chrysene	%	89	87	98	91		A144345
D12-Indeno(1,2,3-cd)pyrene	%	97	93	104	100		A144345
D12-Perylene	%	85	84	93	88		A144345
D14-Dibenzo(a,h)anthracene	%	88	83	95	92		A144345
D8-Acenaphthylene	%	74	74	62	86		A144345
D8-Naphthalene	%	67	70	71	87		A144345

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch



BUREAU
VERITAS

Bureau Veritas Job #: C646638
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BCHE32		
Sampling Date		2026/04/26		
COC Number		N/A		
	UNITS	NEW WEST MONITOR PAH APRIL 26, 2026 BBAH58-01	RDL	QC Batch
Semivolatile Organics				
Benzo(a)pyrene	ug	1.95	0.10	A144345
Surrogate Recovery (%)				
D10-2-Methylnaphthalene	%	60		A144345
D10-Fluoranthene	%	69		A144345
D10-Phenanthrene	%	70		A144345
D12-Benzo(a)anthracene	%	82		A144345
D12-Benzo(a)pyrene	%	99		A144345
D12-Benzo(b)fluoranthene	%	106		A144345
D12-Benzo(ghi)perylene	%	105		A144345
D12-Benzo(k)fluoranthene	%	104		A144345
D12-Chrysene	%	101		A144345
D12-Indeno(1,2,3-cd)pyrene	%	109		A144345
D12-Perylene	%	94		A144345
D14-Dibenzo(a,h)anthracene	%	100		A144345
D8-Acenaphthylene	%	59		A144345
D8-Naphthalene	%	65		A144345
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C646638
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BCHE26	BCHE27		BCHE28		
Sampling Date		2026/04/26	2026/04/26		2026/04/26		
COC Number		N/A	N/A		N/A		
	UNITS	EAST MONITOR PAH APRIL 26, 2026 BBAH54-01	NORTH MONITOR PAH APRIL 26, 2026 BBAH55-01	RDL	OLD WEST MONITOR PAH APRIL 26, 2026 BBAH56-01	RDL	QC Batch

Calculated Parameters							
Benzo(a)pyrene	ug/m3	0.00057	<0.00032	0.00032	0.00243	0.00033	A143055
RDL = Reportable Detection Limit							
QC Batch = Quality Control Batch							

Bureau Veritas ID		BCHE29	BCHE32		
Sampling Date		2026/04/26	2026/04/26		
COC Number		N/A	N/A		
	UNITS	SOUTH MONITOR PAH APRIL 26, 2026 BBAH57-01	NEW WEST MONITOR PAH APRIL 26, 2026 BBAH58-01	RDL	QC Batch

Calculated Parameters					
Benzo(a)pyrene	ug/m3	0.00043	0.00649	0.00033	A143055
RDL = Reportable Detection Limit					
QC Batch = Quality Control Batch					



BUREAU
VERITAS

Bureau Veritas Job #: C646638
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C646638
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC	Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits		
A144345	MPQ	Spiked Blank	D10-2-Methylnaphthalene	2026/05/05		80	%	50 - 150			
			D10-Fluoranthene	2026/05/05		102	%	50 - 150			
			D10-Phenanthrene	2026/05/05		92	%	50 - 150			
			D12-Benzo(a)anthracene	2026/05/05		93	%	50 - 150			
			D12-Benzo(a)pyrene	2026/05/05		100	%	50 - 150			
			D12-Benzo(b)fluoranthene	2026/05/05		102	%	50 - 150			
			D12-Benzo(ghi)perylene	2026/05/05		102	%	50 - 150			
			D12-Benzo(k)fluoranthene	2026/05/05		91	%	50 - 150			
			D12-Chrysene	2026/05/05		96	%	50 - 150			
			D12-Indeno(1,2,3-cd)pyrene	2026/05/05		105	%	50 - 150			
			D12-Perylene	2026/05/05		94	%	50 - 150			
			D14-Dibenzo(a,h)anthracene	2026/05/05		95	%	50 - 150			
			D8-Acenaphthylene	2026/05/05		81	%	50 - 150			
			D8-Naphthalene	2026/05/05		78	%	50 - 150			
			Benzo(a)pyrene	2026/05/05		89	%	50 - 150			
			A144345	MPQ	RPD	Benzo(a)pyrene	2026/05/05	2.4		%	50
			A144345	MPQ	Method Blank	D10-2-Methylnaphthalene	2026/05/05		79	%	50 - 150
D10-Fluoranthene	2026/05/05					98	%	50 - 150			
D10-Phenanthrene	2026/05/05					90	%	50 - 150			
D12-Benzo(a)anthracene	2026/05/05					87	%	50 - 150			
D12-Benzo(a)pyrene	2026/05/05					94	%	50 - 150			
D12-Benzo(b)fluoranthene	2026/05/05					98	%	50 - 150			
D12-Benzo(ghi)perylene	2026/05/05					96	%	50 - 150			
D12-Benzo(k)fluoranthene	2026/05/05					85	%	50 - 150			
D12-Chrysene	2026/05/05					89	%	50 - 150			
D12-Indeno(1,2,3-cd)pyrene	2026/05/05					98	%	50 - 150			
D12-Perylene	2026/05/05					90	%	50 - 150			
D14-Dibenzo(a,h)anthracene	2026/05/05					88	%	50 - 150			
D8-Acenaphthylene	2026/05/05					81	%	50 - 150			
D8-Naphthalene	2026/05/05		77	%	50 - 150						
			Benzo(a)pyrene	2026/05/05	<0.10		ug				

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C646638
Report Date: 2026/05/06

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 32669
 Site Location: RAIN CARON CANADA INC
 Your C.O.C. #: N/A

Attention: Ruetgers list

Rotek Environmental Inc.
 15 Keefer Court
 Hamilton, ON
 CANADA L8E 4V4

Report Date: 2026/05/06
 Report #: R8736330
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C647255

Received: 2026/05/01, 09:16

Sample Matrix: Puf And Filter
 # Samples Received: 1

Analyses	Quantity	Date	Date	Laboratory Method	Analytical Method
		Extracted	Analyzed		
Calculated Polyaromatic Hydrocarbons	1	2026/05/01	2026/05/01	BRL SOP-00201	
PAH's in MM5 SamplingTrains (CARB429mod) (1)	1	2026/05/02	2026/05/06	BRL SOP-00201	CARB429(ARBM1,M2)mod
Air Volume from HiVol Sampling	1	N/A	2026/05/01		

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Analysis was conducted according to Bureau Veritas' method BRL SOP-00201 and modified where applicable based on the sample matrix. Only the following parameters are accredited: Naphthalene, 2-Methylnaphthalene, Acenaphthylene, Acenaphthene, Anthracene, Benzo (a) anthracene, Dibenzo (a,h) anthracene, Fluorene, Benzo (e) pyrene, Benzo (a) pyrene, Benzo (k) fluoranthene, Benzo (b) fluoranthene, Benzo (g,h,i) perylene, Chrysene, Fluoranthene, Indeno (1,2,3 cd) pyrene. Additional parameters are not Standards Council of Canada accredited for this matrix.



Your P.O. #: 32669
Site Location: RAIN CARON CANADA INC
Your C.O.C. #: N/A

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/05/06
Report #: R8736330
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C647255

Received: 2026/05/01, 09:16

Encryption Key



**AUTHORIZED REPORT
RAPPORT AUTORISÉ**

Bureau Veritas
06 May 2026 17:06:17

Please direct all questions regarding this Certificate of Analysis to:
Cristina (Maria) Bacchus, Project Manager
Email: maria.bacchus@bureauveritas.com
Phone# (905)817-5763

=====
This report has been generated and distributed using a secure automated process.
Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.
For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor
validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible
for Ontario Environmental laboratory operations.



**BUREAU
VERITAS**

Bureau Veritas Job #: C647255
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

RESULTS OF ANALYSES OF PUF AND FILTER

Bureau Veritas ID		BCIG99	
Sampling Date		2026/04/26	
COC Number		N/A	
	UNITS	STN29164 26-APR-26 PUF#1 BAQP73-01	QC Batch
Volume	m3	310.2	ONSITE
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C647255
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

SEMI-VOLATILE ORGANICS BY GC-MS (PUF AND FILTER)

Bureau Veritas ID		BCIG99		
Sampling Date		2026/04/26		
COC Number		N/A		
	UNITS	STN29164 26-APR-26 PUF#1 BAQP73-01	RDL	QC Batch
Benzo(a)pyrene	ug	<0.10	0.10	A144345
Surrogate Recovery (%)				
D10-Fluoranthene	%	108		A144345
D10-Phenanthrene	%	100		A144345
D12-Benzo(a)anthracene	%	78		A144345
D12-Benzo(a)pyrene	%	98		A144345
D12-Benzo(b)fluoranthene	%	101		A144345
D12-Benzo(ghi)perylene	%	104		A144345
D12-Benzo(k)fluoranthene	%	99		A144345
D12-Indeno(1,2,3-cd)pyrene	%	105		A144345
D12-Perylene	%	97		A144345
D8-Acenaphthylene	%	89		A144345
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



BUREAU
VERITAS

Bureau Veritas Job #: C647255
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

CALCULATED SEMIVOLATILE ORGANICS (PUF AND FILTER)

Bureau Veritas ID		BCIG99		
Sampling Date		2026/04/26		
COC Number		N/A		
	UNITS	STN29164 26-APR-26 PUF#1 BAQP73-01	RDL	QC Batch
Benzo(a)pyrene	ng/m3	<0.32	0.32	A144029
RDL = Reportable Detection Limit QC Batch = Quality Control Batch				



**BUREAU
VERITAS**

Bureau Veritas Job #: C647255
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C647255
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC												
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits				
A144345	MPQ	Spiked Blank	D10-Fluoranthene	2026/05/05		102	%	50 - 150				
			D10-Phenanthrene	2026/05/05		92	%	50 - 150				
			D12-Benzo(a)anthracene	2026/05/05		93	%	50 - 150				
			D12-Benzo(a)pyrene	2026/05/05		100	%	50 - 150				
			D12-Benzo(b)fluoranthene	2026/05/05		102	%	50 - 150				
			D12-Benzo(ghi)perylene	2026/05/05		102	%	50 - 150				
			D12-Benzo(k)fluoranthene	2026/05/05		91	%	50 - 150				
			D12-Indeno(1,2,3-cd)pyrene	2026/05/05		105	%	50 - 150				
			D12-Perylene	2026/05/05		94	%	50 - 150				
			D8-Acenaphthylene	2026/05/05		81	%	50 - 150				
			Benzo(a)pyrene	2026/05/05		89	%	50 - 150				
			A144345	MPQ	RPD	Benzo(a)pyrene	2026/05/05	2.4		%	50	
			A144345	MPQ	Method Blank	D10-Fluoranthene	2026/05/05		98	%	50 - 150	
D10-Phenanthrene	2026/05/05					90	%	50 - 150				
D12-Benzo(a)anthracene	2026/05/05					87	%	50 - 150				
D12-Benzo(a)pyrene	2026/05/05					94	%	50 - 150				
D12-Benzo(b)fluoranthene	2026/05/05					98	%	50 - 150				
D12-Benzo(ghi)perylene	2026/05/05					96	%	50 - 150				
D12-Benzo(k)fluoranthene	2026/05/05					85	%	50 - 150				
D12-Indeno(1,2,3-cd)pyrene	2026/05/05					98	%	50 - 150				
D12-Perylene	2026/05/05					90	%	50 - 150				
D8-Acenaphthylene	2026/05/05					81	%	50 - 150				
			Benzo(a)pyrene	2026/05/05	<0.10		ug					

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



BUREAU
VERITAS

Bureau Veritas Job #: C647255
Report Date: 2026/05/06

Rotek Environmental Inc.
Site Location: RAIN CARON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

Angel Guerrero, Supervisor, Ultra Trace Analysis, HRMS and SVOC

Lasitha Kaiprath, Sample Entry Technician

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 4500646153
 Site Location: RAIN CARBON CANADA INC.
 Your C.O.C. #: na

Attention: Robin Hart
 Rain Carbon Canada Inc.
 725 Strathearne Ave North
 Hamilton, ON
 CANADA L8H 5L3

Report Date: 2026/05/12
 Report #: R8739579
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C645865

Received: 2026/04/28, 16:16

Sample Matrix: Air
 # Samples Received: 5

Analyses	Date		Laboratory Method	Analytical Method
	Quantity Extracted	Date Analyzed		
Canister Pressure (TO-15)	5	N/A	2026/05/01 BRL SOP-00304	EPA TO-15 m
Volatile Organics in Air (TO-15) (1)	5	N/A	2026/05/01 BRL SOP-00304	EPA TO-15 m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Air sampling canisters have been cleaned in accordance with U.S. EPA Method TO15. At the end of the cleaning, evacuation, and pressurization cycles, one canister was selected and was pressurized with Zero Air. This canister was then analyzed via TO15 on a GC/MS. The canister must have been found to contain <0.2 ppbv concentration of all target analytes in order for the batch to have been considered clean. Each canister also underwent a leak check prior to shipment.

Please Note: SUMMA® canister samples will be retained by Bureau Veritas for a period of 5 calendar days or as contractually agreed from the date of this report, after which time they will be cleaned for reuse. If you require a longer sample storage period, please contact your service representative.



Your P.O. #: 4500646153
Site Location: RAIN CARBON CANADA INC.
Your C.O.C. #: na

Attention: Robin Hart
Rain Carbon Canada Inc.
725 Strathearne Ave North
Hamilton, ON
CANADA L8H 5L3

Report Date: 2026/05/12
Report #: R8739579
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C645865

Received: 2026/04/28, 16:16

Encryption Key

Julian Tong
Project Manager Assistant
12 May 2026 16:35:16

Please direct all questions regarding this Certificate of Analysis to:
Julian Tong, Project Manager Assistant
Email: Julian.Tong@bureauveritas.com
Phone# (905) 817-5700

=====

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



BUREAU
VERITAS

Bureau Veritas Job #: C645865
Report Date: 2026/05/12

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

RESULTS OF ANALYSES OF AIR

Bureau Veritas ID		BCFV68	BCFV69	BCFV70	BCFV71	
Sampling Date		2026/04/26	2026/04/26	2026/04/26	2026/04/26	
COC Number		na	na	na	na	
	UNITS	EAST CANISTER VOC APRIL 26,2026/14251	NORTH CANISTER VOC APRIL 26,2026/264	OLD WEST CANISTER VOC APRIL 26,2026/7840	SOUTH CANISTER VOC APRIL 26,2026/248	QC Batch

Volatile Organics						
Pressure on Receipt	psig	(-1.6)	(-4.3)	(-3.0)	(-7.4)	A143807
QC Batch = Quality Control Batch						

Bureau Veritas ID		BCFV72	
Sampling Date		2026/04/26	
COC Number		na	
	UNITS	NEW WEST CANISTER VOC APRIL 26,2026/14908	QC Batch
Volatile Organics			
Pressure on Receipt	psig	(-3.1)	A143807
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C645865
Report Date: 2026/05/12

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BCFV68				BCFV69				
Sampling Date		2026/04/26				2026/04/26				
COC Number		na				na				
	UNITS	EAST CANISTER VOC APRIL 26,2026/14251	ug/m3	DL (ug/m3)		NORTH CANISTER VOC APRIL 26,2026/264	RDL	ug/m3	DL (ug/m3)	QC Batch

Volatile Organics										
Benzene	ppbv	0.17	0.535	0.319	<0.10	0.10	<0.319	0.319	A143479	
Surrogate Recovery (%)										
Bromochloromethane	%	95	N/A	N/A	94		N/A	N/A	A143479	
D5-Chlorobenzene	%	94	N/A	N/A	93		N/A	N/A	A143479	
Difluorobenzene	%	96	N/A	N/A	94		N/A	N/A	A143479	
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable										

Bureau Veritas ID		BCFV70				BCFV71				
Sampling Date		2026/04/26				2026/04/26				
COC Number		na				na				
	UNITS	OLD WEST CANISTER VOC APRIL 26,2026/7840	RDL	ug/m3	DL (ug/m3)	SOUTH CANISTER VOC APRIL 26,2026/248	RDL	ug/m3	DL (ug/m3)	QC Batch

Volatile Organics										
Benzene	ppbv	8.48	0.10	27.1	0.319	14.3	0.20	45.8	0.639	A143479
Surrogate Recovery (%)										
Bromochloromethane	%	88		N/A	N/A	90		N/A	N/A	A143479
D5-Chlorobenzene	%	88		N/A	N/A	89		N/A	N/A	A143479
Difluorobenzene	%	89		N/A	N/A	89		N/A	N/A	A143479
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable										



BUREAU
VERITAS

Bureau Veritas Job #: C645865
Report Date: 2026/05/12

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BCFV72				
Sampling Date		2026/04/26				
COC Number		na				
	UNITS	NEW WEST CANISTER VOC APRIL 26,2026/14908	RDL	ug/m3	DL (ug/m3)	QC Batch
Volatile Organics						
Benzene	ppbv	1.07	0.10	3.42	0.319	A143479
Surrogate Recovery (%)						
Bromochloromethane	%	87		N/A	N/A	A143479
D5-Chlorobenzene	%	86		N/A	N/A	A143479
Difluorobenzene	%	87		N/A	N/A	A143479
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable						



**BUREAU
VERITAS**

Bureau Veritas Job #: C645865
Report Date: 2026/05/12

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

GENERAL COMMENTS

Sample BCFV71 [SOUTH CANISTER VOC APRIL 26,2026/248] : Sample was pressurized due to high vacuum in can. The DL's were adjusted accordingly.

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C645865
Report Date: 2026/05/12

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC									
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits	
A143479	DVP	Spiked Blank	Bromochloromethane	2026/05/01		106	%	60 - 140	
			D5-Chlorobenzene	2026/05/01		107	%	60 - 140	
			Difluorobenzene	2026/05/01		107	%	60 - 140	
			Benzene	2026/05/01		101	%	70 - 130	
A143479	DVP	Method Blank	Bromochloromethane	2026/05/01		105	%	60 - 140	
			D5-Chlorobenzene	2026/05/01		103	%	60 - 140	
			Difluorobenzene	2026/05/01		106	%	60 - 140	
			Benzene	2026/05/01	<0.10		ppbv		
A143479	DVP	RPD	Benzene	2026/05/01	NC		%	25	

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference <= 2x RDL).



**BUREAU
VERITAS**

Bureau Veritas Job #: C645865
Report Date: 2026/05/12

Rain Carbon Canada Inc.
Site Location: RAIN CARBON CANADA INC.
Your P.O. #: 4500646153
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in cursive script that reads 'Melanie Mabini'.

Melanie Mabini, Team Leader

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.



Your P.O. #: 32669
 Site Location: RAIN CARBON CANADA INC
 Your C.O.C. #: na

Attention: Ruetgers list

Rotek Environmental Inc.
 15 Keefer Court
 Hamilton, ON
 CANADA L8E 4V4

Report Date: 2026/05/14
 Report #: R8741255
 Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C647402

Received: 2026/05/01, 09:16

Sample Matrix: Air
 # Samples Received: 1

Analyses	Date		Laboratory Method	Analytical Method
	Quantity Extracted	Analyzed		
Canister Pressure (TO-15)	1	N/A	2026/05/04 BRL SOP-00304	EPA TO-15 m
Volatile Organics in Air (TO-15) (1)	1	N/A	2026/05/04 BRL SOP-00304	EPA TO-15 m

Remarks:

Bureau Veritas is accredited to ISO/IEC 17025 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Bureau Veritas are based upon recognized Provincial, Federal or US method compendia such as CCME, EPA, APHA or the Quebec Ministry of Environment.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Bureau Veritas' profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Bureau Veritas in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected. Where applicable, unless otherwise noted, Measurement Uncertainty has not been accounted for when stating conformity to the referenced standard.

Bureau Veritas liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Bureau Veritas has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Bureau Veritas, unless otherwise agreed in writing. Bureau Veritas is not responsible for the accuracy or any data impacts, that result from the information provided by the customer or their agent.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.

Results relate to samples tested. When sampling is not conducted by Bureau Veritas, results relate to the supplied samples tested.

This Certificate shall not be reproduced except in full, without the written approval of the laboratory.

Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.

(1) Air sampling canisters have been cleaned in accordance with U.S. EPA Method TO15. At the end of the cleaning, evacuation, and pressurization cycles, one canister was selected and was pressurized with Zero Air. This canister was then analyzed via TO15 on a GC/MS. The canister must have been found to contain <0.2 ppbv concentration of all target analytes in order for the batch to have been considered clean. Each canister also underwent a leak check prior to shipment.

Please Note: SUMMA® canister samples will be retained by Bureau Veritas for a period of 5 calendar days or as contractually agreed from the date of this report, after which time they will be cleaned for reuse. If you require a longer sample storage period, please contact your service representative.



Your P.O. #: 32669
Site Location: RAIN CARBON CANADA INC
Your C.O.C. #: na

Attention: Ruetgers list

Rotek Environmental Inc.
15 Keefer Court
Hamilton, ON
CANADA L8E 4V4

Report Date: 2026/05/14
Report #: R8741255
Version: 1 - Final

CERTIFICATE OF ANALYSIS

BUREAU VERITAS JOB #: C647402

Received: 2026/05/01, 09:16

Encryption Key



**AUTHORIZED REPORT
RAPPORT AUTORISÉ**

Bureau Veritas
14 May 2026 13:20:01

Please direct all questions regarding this Certificate of Analysis to:
Cristina (Maria) Bacchus, Project Manager
Email: maria.bacchus@bureauveritas.com
Phone# (905)817-5763

=====
This report has been generated and distributed using a secure automated process.
Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports.
For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor
validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible
for Ontario Environmental laboratory operations.



BUREAU
VERITAS

Bureau Veritas Job #: C647402
Report Date: 2026/05/14

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

RESULTS OF ANALYSES OF AIR

Bureau Veritas ID		BCIN60	
Sampling Date		2026/04/26	
COC Number		na	
	UNITS	STN29164 26-APR-26/1241	QC Batch
Pressure on Receipt	psig	(-4.0)	A146325
QC Batch = Quality Control Batch			



BUREAU
VERITAS

Bureau Veritas Job #: C647402
Report Date: 2026/05/14

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VOLATILE ORGANICS BY GC/MS (AIR)

Bureau Veritas ID		BCIN60				
Sampling Date		2026/04/26				
COC Number		na				
	UNITS	STN29164 26-APR-26/1241	RDL	ug/m3	DL (ug/m3)	QC Batch
Benzene	ppbv	0.12	0.10	0.390	0.319	A144710
Surrogate Recovery (%)						
Bromochloromethane	%	83		N/A	N/A	A144710
D5-Chlorobenzene	%	79		N/A	N/A	A144710
Difluorobenzene	%	76		N/A	N/A	A144710
RDL = Reportable Detection Limit QC Batch = Quality Control Batch N/A = Not Applicable						



**BUREAU
VERITAS**

Bureau Veritas Job #: C647402
Report Date: 2026/05/14

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

GENERAL COMMENTS

Results relate only to the items tested.



BUREAU
VERITAS

Bureau Veritas Job #: C647402
Report Date: 2026/05/14

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

QUALITY ASSURANCE REPORT

QA/QC								
Batch	Init	QC Type	Parameter	Date Analyzed	Value	Recovery	UNITS	QC Limits
A144710	DVP	Spiked Blank	Bromochloromethane	2026/05/04		103	%	60 - 140
			D5-Chlorobenzene	2026/05/04		101	%	60 - 140
			Difluorobenzene	2026/05/04		104	%	60 - 140
			Benzene	2026/05/04		100	%	70 - 130
A144710	DVP	Method Blank	Bromochloromethane	2026/05/04		103	%	60 - 140
			D5-Chlorobenzene	2026/05/04		98	%	60 - 140
			Difluorobenzene	2026/05/04		104	%	60 - 140
			Benzene	2026/05/04	<0.10		ppbv	

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

Surrogate: A pure or isotopically labeled compound whose behavior mirrors the analytes of interest. Used to evaluate extraction efficiency.



**BUREAU
VERITAS**

Bureau Veritas Job #: C647402
Report Date: 2026/05/14

Rotek Environmental Inc.
Site Location: RAIN CARBON CANADA INC
Your P.O. #: 32669
Sampler Initials: RH

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by:

A handwritten signature in cursive script that reads "Melanie Mabini".

Melanie Mabini, Team Leader

Bureau Veritas has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per ISO/IEC 17025, signing the reports. For Service Group specific validation, please refer to the Validation Signatures page if included, otherwise available by request. For Department specific Analyst/Supervisor validation names, please refer to the Test Summary section if included, otherwise available by request. This report is authorized by Rodney Major, General Manager responsible for Ontario Environmental laboratory operations.

APPENDIX E

Field Notes



PUF - Station Logs

Station : East
Location : 725 Strathearne Avenue N, Hamilton
Period : April 1 to June 30, 2026
Quarter : Q2

Sample Date (dd-mmm-yy)	PUF Cartridge # Maxxam ID#	Maxxam Filter ID #	Installation (Date) (Time EST)	MAGN On	ETI On	MAGN Off	ETI Off	Removal (Date) (Time EST)	Calculated Sample Volume (293.6 - 358.8 m ³)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Comments
02-Apr-26	AZVR23-01	AZVR23-01	02-Apr-26	38	6055.86	38	6079.30	06-Apr-26	328.9	23.44	RH	
	PUF#1		17:15					16:15				
08-Apr-26	BBAA22-01	BBAA22-01	07-Apr-26	38	6079.31	32	6102.71	10-Apr-26	314.2	23.40	RH	
	PUF#1		19:49					15:15				
14-Apr-26	AZVR38-01	AZVR38-01	13-Apr-26	36	6102.72	36	6126.16	17-Apr-26	309.7	23.44	RH	
	PUF#1		18:39					14:07				
20-Apr-26	BBAD79-01	BBAD79-01	19-Apr-26	32	6126.17	30	6149.47	22-Apr-26	297.9	23.30	RH	
	PUF#1		11:11					14:55				
26-Apr-26	BBAH54-01	BBAH54-01	24-Apr-26	38	6149.48	36	6172.66	27-Apr-26	314.9	23.18	RH	
	PUF#1		17:57					12:33				



PUF - Station Logs

Station : North
Location : 725 Strathearne Avenue N, Hamilton
Period : April 1 to June 30, 2026
Quarter : Q2

	PUF Cartridge # Maxxam ID#	Maxxam Filter ID #	Installation (Date) (Time EST)	MAGN On	ETI On	MAGN Off	ETI Off	Removal (Date) (Time EST)	Calculated Sample Volume (293.6 - 358.8 m ³)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Comments
02-Apr-26	AZVR24-01	AZVR24-01	02-Apr-26	34	4339.05	34	4362.79	06-Apr-26	334.4	23.74	RH	
	PUF#2		17:29					16:32				
08-Apr-26	BBAA23-01	BBAA23-01	07-Apr-26	38	4362.80	38	4386.01	10-Apr-26	330.3	23.21	RH	
	PUF#2		19:57					15:24				
14-Apr-26	AZVR39-01	AZVR39-01	13-Apr-26	34	4386.01	34	4409.40	17-Apr-26	305.9	23.39	RH	
	PUF#2		18:49					15:20				
20-Apr-26	BBAD80-01	BBAD80-01	19-Apr-26	36	4409.40	32	4432.84	22-Apr-26	314.4	23.39	RH	
	PUF#2		11:29					15:16				
26-Apr-26	BBAH55-01	BBAH55-01	24-Apr-26	36	4432.85	32	4456.36	27-Apr-26	314.2	23.51	RH	
	PUF#2		18:14					12:57				



PUF - Station Logs

Station : Old West
Location : 725 Strathearne Avenue N, Hamilton
Period : April 1 to June 30, 2026
Quarter : Q2

Sample Date (dd-mmm-yy)	PUF Cartridge # Maxxam ID#	Maxxam Filter ID #	Installation (Date) (Time EST)	MAGN On	ETI On	MAGN Off	ETI Off	Removal (Date) (Time EST)	Calculated Sample Volume (293.6 - 358.8 m ³)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Comments
02-Apr-26	AZVR25-01	AZVR25-01	02-Apr-26	30	5944.36	30	5968.10	06-Apr-26	343.0	23.74	RH	
	PUF#3		18:20					17:28				
08-Apr-26	BBAA24-01	BBAA24-01	07-Apr-26	32	5968.11	34	5991.04	10-Apr-26	305.4	22.93	RH	
	PUF#3		20:30					15:53				
14-Apr-26	AZVR40-01	AZVR40-01	13-Apr-26	34	5991.04	32	6014.74	17-Apr-26	307.7	23.70	RH	
	PUF#3		19:31					15:49				
20-Apr-26	BBAD81-01	BBAD81-01	19-Apr-26	30	6014.74	30	6038.39	22-Apr-26	303.8	23.70	RH	
	PUF#3		12:04					15:57				
26-Apr-26	BBAH56-01	BBAH56-01	24-Apr-26	30	6038.40	30	6062.04	27-Apr-26	301.6	23.64	RH	
	PUF#3		19:18					13:57				
02-May-26	BBAE18-01	BBAE18-01	01-May-26	30	6062.05	30	6085.79	05-May-26	302.0	23.74	RH	
	PUF#3		19:32					12:01				



PUF - Station Logs

Station : South
Location : 725 Strathearne Avenue N, Hamilton
Period : April 1 to June 30, 2026
Quarter : Q2

Sample Date (dd-mmm-yy)	PUF Cartridge # Maxxam ID#	Maxxam Filter ID #	Installation (Date) (Time EST)	MAGN On	ETI On	MAGN Off	ETI Off	Removal (Date) (Time EST)	Calculated Sample Volume (293.6 - 358.8 m ³)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Comments
02-Apr-26	AZVR26-01	AZVR26-01	02-Apr-26	36	5831.24	34	5854.17	06-Apr-26	313.9	22.93	RH	
	PUF#4		17:46					16:51				
08-Apr-26	BBAA25-01	BBAA25-01	07-Apr-26	36	5854.18	36	5877.12	10-Apr-26	310.5	22.94	RH	
	PUF#4		20:09					15:36				
14-Apr-26	AZVR41-01	AZVR41-01	13-Apr-26	38	5877.14	36	5900.10	17-Apr-26	304.8	22.96	RH	
	PUF#4		19:03					14:36				
20-Apr-26	BBAD82-01	BBAD82-01	19-Apr-26	34	5900.11	34	5923.02	22-Apr-26	301.5	22.96	RH	
	PUF#4		11:41					15:56				
26-Apr-26	BBAH57-01	BBAH57-01	24-Apr-26	36	5923.03	32	5945.91	27-Apr-26	298.7	22.88	RH	
	PUF#4		18:34					13:23				



PUF - Station Logs

Station : New West
Location : 725 Strathearne Avenue N, Hamilton
Period : April 1 to June 30, 2026
Quarter : Q2

Sample Date (dd-mmm-yy)	PUF Cartridge # Maxxam ID#	Maxxam Filter ID #	Installation (Date) (Time EST)	MAGN On	ETI On	MAGN Off	ETI Off	Removal (Date) (Time EST)	Calculated Sample Volume (293.6 - 358.8 m ³)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Comments
02-Apr-26	AZVR27-01	AZVR27-01	02-Apr-26	38	5672.31	38	5695.92	06-Apr-26	319.7	23.61	RH	
	PUF#5		18:04					17:08				
08-Apr-26	BBAA26-01	BBAA26-01	07-Apr-26	38	5695.92	38	5719.61	10-Apr-26	316.5	23.69	RH	
	PUF#5		20:20					15:45				
14-Apr-26	AZVR42-01	AZVR42-01	13-Apr-26	38	5719.61	36	5743.44	17-Apr-26	304.0	23.83	RH	
	PUF#5		19:20					15:37				
20-Apr-26	BBAD83-01	BBAD83-01	19-Apr-26	38	5743.44	38	5767.14	22-Apr-26	316.6	23.83	RH	
	PUF#5		11:58					16:08				
26-Apr-26	BBAH58-01	BBAH58-01	24-Apr-26	38	5767.14	36	5790.24	27-Apr-26	301.2	23.10	RH	
	PUF#5		19:02					13:41				



VOC - Station Logs

Station : East
 Location : 725 Strathearne Avenue N, Hamilton
 Period : April 1 to June 30, 2026
 Quarter : Q2

Sample Date (dd-mmm-yy)	VOC ID Canister #	Installation (Date) (Time EST)	On Flow (mL/min)	On Pressure ("Hg)	Off Flow (mL/min)	Off Pressure ("Hg)	Removal (Date) (Time EST)	Average On/Off Sample Flow (3.15 - 3.85 mL/Min)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Leak Pressure (As Left) (As	Comments
02-Apr-26	298	01-Apr	---	-30.0	---	-30.0	06-Apr-26	---	24.0	RH		
		17:19					16:18					
07-Apr-26	298	06-Apr	---	-30.0	---	-5.0	08-Apr-26	---	24.0	RH		Additional East VOC Monitor Tuesday April 7, 2026 monitoring day
		16:19					14:43					
14-Apr-26	14552	13-Apr	---	-30.0	---	-6.0	17-Apr-26	---	24.0	RH		
		18:42					14:09					
26-Apr-26	14251	24-Apr	---	-30.0	---	-6.0	27-Apr-26	---	24.0	RH		
		18:01					12:36					



VOC - Station Logs

Station : North
Location : 725 Strathearne Avenue N, Hamilton
Period : April 1 to June 30, 2025
Quarter : Q2

Sample Date (dd-mmm-yy)	VOC ID Canister #	Installation (Date) (Time EST)	On Flow (mL/min)	On Pressure ("Hg)	Off Flow (mL/min)	Off Pressure ("Hg)	Removal (Date) (Time EST)	Average On/Off Sample Flow (3.15 - 3.85 mL/Min)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Leak Pressure (As Left) (As)	Comments
02-Apr-26	309	01-Apr	---	-29.0	---	-9.0	06-Apr-26	---	24.0	RH		
		17:33					16:38					
14-Apr-26	14913	13-Apr	---	-30.0	---	-10.0	17-Apr-26	---	24.0	RH		
		18:52					15:23					
26-Apr-26	264	24-Apr	---	-30.0	---	-10.0	27-Apr-26	---	24.0	RH		
		18:15					12:59					



VOC - Station Logs

Station : Old West
Location : 725 Strathearne Avenue N, Hamilton
Period : April 1 to June 30, 2026
Quarter : Q2

Sample Date (dd-mmm-yy)	VOC ID Canister #	Installation (Date) (Time EST)	On Flow (mL/min)	On Pressure ("Hg)	Off Flow (mL/min)	Off Pressure ("Hg)	Removal (Date) (Time EST)	Average On/Off Sample Flow (3.15 - 3.85 mL/Min)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Leak Pressure (As Left) (As)	Comments
02-Apr-26	7821	01-Apr	---	-30.0	---	-10.0	06-Apr-26	---	24.0	RH		
		18:25					17:30					
14-Apr-26	7802	13-Apr	---	-30.0	---	-10.0	17-Apr-26	---	24.0	RH		
		19:34					15:54					
26-Apr-26	7840	24-Apr	---	-30.0	---	-10.0	27-Apr-26	---	24.0	RH		
		19:22					14:00					



VOC - Station Logs

Station : South
 Location : 725 Strathearne Avenue N, Hamilton
 Period : April 1 to June 30, 2026
 Quarter : Q2

Sample Date (dd-mmm-yy)	VOC ID Canister #	Installation (Date) (Time EST)	On Flow (mL/min)	On Pressure ("Hg)	Off Flow (mL/min)	Off Pressure ("Hg)	Removal (Date) (Time EST)	Average On/Off Sample Flow (3.15 - 3.85 mL/Min)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Leak Pressure (As Left) (As)	Comments
02-Apr-26	17998	01-Apr	---	-30.0	---	-12.0	06-Apr-26	---	24.0	RH		
		17:51					16:53					
14-Apr-26	7793	13-Apr	---	-30.0	---	-14.0	17-Apr-26	---	24.0	RH		
		19:06					14:38					
26-Apr-26	248	24-Apr	---	-30.0	---	-16.0	27-Apr-26	---	24.0	RH		
		18:37					13:27					



VOC - Station Logs

Station : New West
Location : 725 Strathearne Avenue N, Hamilton
Period : April 1 to June 30, 2026
Quarter : Q2

Sample Date (dd-mmm-yy)	VOC ID Canister #	Installation (Date) (Time EST)	On Flow (mL/min)	On Pressure ("Hg)	Off Flow (mL/min)	Off Pressure ("Hg)	Removal (Date) (Time EST)	Average On/Off Sample Flow (3.15 - 3.85 mL/Min)	Sample Duration (21.6 - 26.4 Hrs)	Technician Initial	Leak Pressure (As Left) (As)	Comments
02-Apr-26	11630	01-Apr	---	-28.0	---	-6.0	06-Apr-26	---	24.0	RH		
		18:10					17:12					
14-Apr-26	14518	13-Apr	---	-28.0	---	-8.0	17-Apr-26	---	24.0	RH		
		19:15					15:39					
26-Apr-26	14908	24-Apr	---	-28.0	---	-7.0	27-Apr-26	---	24.0	RH		
		19:06					13:45					